Content Copy Of Original



Ministry of the Environment, Conservation and Parks Ministère de l'Environnement, de la Protection de la nature et des Parcs

AMENDED ENVIRONMENTAL COMPLIANCE APPROVAL

NUMBER 6689-BXGPXY Issue Date: January 25, 2021

Stelco Inc. 386 Wilcox Street, P.O. Box 2030 Hamilton, Ontario L8N 3T1

Site Location: 386 Wilcox Street Hamilton City L8L 8K5

The approval is being issued under section 20.13 of Part II.1 of the Environmental Protection Act, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:

- No. 7 Coke Oven batteries and associated facilities including 83 Coke Ovens, Dr. C. Otto design, one Quench tower, one Marley cooling tower, one emergency gas bleeder, additions to #2 by-products plant, approved in Environmental Compliance Approval No. 61-2-313 issued on July 27, 1971;
- Coal Handling System #7 including three Johnson-March dust control systems and a Wheelabrator Model 108 Ultra Baghouse, approved in Environmental Compliance Approval No. 72/2/269 issued on July 10, 1972;
- The following modifications to the existing No. 7 coke oven battery, approved in Environmental Compliance Approval No. 8-2096-97-006 issued on Sept 11, 1997:
 - the installation of self sealing oven doors;
 - the installation of self sealing oven doors mechanical door and jamb cleaners;
 - the replacement of the existing collector system comprising a new collector main on the pusher side and a mobile U-tube collector that connects to a standpipe on the neighbouring oven to provide two end suction during charging directing the captured fumes to the Number 2 by-products plant;
 - the installation of water seals on the stand-pipes;
 - the replacement of the steam nozzles in the coke oven gas collection system with high pressure flushing liquor nozzles;
- Coke-side emission control enclosures on the No. 6 and No. 7 Coke Oven
 Batteries exhausting through six (6) baghouses and three (3) Joy wet electrostatic
 precipitators to separate stacks each discharging at a maximum volumetric rate of
 17.2 standard cubic metres per second and having an exit diameter of 1.07 metres

extending 32.0 meters above grade and 8.2 metres above the roof, each baghouse is equipped with polyester filter bags and a pulse jet cleaning mechanism, with each baghouse having the filtering velocity described in the following table:

Baghouse	Filtering Velocity (centimetres per	
	second)	
1	2.06	
2	1.96	
3	1.96	
4	1.96	
5	1.96	
6	1.96	

approved in Environmental Compliance Approval No. 8-2188-75-796 issued on July 25, 1979 and amended on February 20, 1998;

- Two (2) natural gas-fired continuous flare ignitor systems, each having a
 maximum heat input of 1,056,000 kilojoules per hour and equipped with a
 thermocouple monitor and automatic spark re-ignitor, each installed on one of the
 two existing By-Products coke oven gas flare stacks (STCK11 and STCK12); and
- One (1) stack draft heater system, fuelled by coke oven gas or natural gas, having a maximum heat input of 20,047,000 kilojoules per hour, installed on the existing No. 7 coke oven battery underfiring stack (STCK13);

both approved in Environmental Compliance Approval No. 0714-7YMRAU issued on December 22, 2009.

For the purpose of this environmental compliance approval, the following definitions apply:

- 1. "Approval" means this Environmental Compliance Approval including Schedules A and B, and including the information and documentation submitted in support of the applications for Environmental Compliance Approval listed above;
- 2. "Battery Repair" means a repair to a By-product coke oven battery that affects the entire battery, such as a repair to an end flue or a burner. For clarity, the repair of one or more Coke Ovens does not constitute a battery repair;
- 3. "By-product coke oven battery" means a structure that,
 - a. comprises Coke Ovens that operate under positive pressure and are

- connected by common walls, and
- b. is constructed in a manner that allows by-products to be recovered from *Coke Oven* gas;
- 4. "Business Day" means a day that is not a Saturday or a holiday within the meaning of section 87 of the Legislation Act, 2006;
- 5. "Charging" means the Coke Oven operation in which coal is loaded into a Coke Oven; and "charge" has a corresponding meaning;
- 6. "Coke Oven" means an oven in which the Coking Process occurs;
- 7. "Coke Oven Door" means the entire area on the vertical face of a Coke Oven between the bench and the top of the battery between two adjacent buckstays and includes the Coke Oven Door, chuck door, and buck stay or jamb;
- 8. "Coke Side" means the side of a *By-product coke oven battery* from which the coke is discharged from *Coke Ovens* at the end of the *Coking Process*.
- 9. "Coking Process" means a process in which coal undergoes destructive distillation to produce coke and Coke Oven gas;
- 10. "Collecting Main" means any apparatus that is connected to one or more Offtake Systems and that provides a passage for conveying gases under positive pressure from the By-product coke oven battery to the by-product recovery system;
- 11. "Company" means Stelco Inc., that is responsible for the construction or operation of the Facility and includes any successors and assigns;
- 12. "Director" means any person appointed in writing by the Ministry of Environment, Conservation and Parks pursuant to section 5 o the EPA;
- 13. "District Manager" means the District Manager of the appropriate local district office of the Ministry, where the Facility is geographically located;
- 14. "EPA" means the Environmental Protection Act, R.S.O. 1990, c.E.19, as amended;
- 15. "Equipment" means the equipment or processes described in this Approval, to the extent approved by this Approval;
- 16. "Facility" means the entire operation located on the property where the Equipment is located;
- 17. "Fugitive Emission" means an emission from a *By-product coke oven battery* that is not collected by a capture system and that is discharged to the air. A fugitive emission includes,
 - a. an emission that escapes capture by process equipment exhaust hoods,
 - b. an emission that is emitted during material transfer,

- c. an emission that is emitted from buildings housing material processing equipment or handling equipment, and
- d. an emission that is emitted directly from process equipment;
- 18. "Method 9" means the document entitled "Method 9 Visual Determination of the Opacity of Emissions from Stationary Sources" made available on the Internet by the USEPA, as amended from time to time, or a copy of that document that is available from the Ministry;
- 19. "Method 303" means the document entitled "Method 303-Determination of Visible Emissions From By-Product Coke Oven Batteries" made available on the Internet by the USEPA, as amended from time to time, or a copy of that document that is available from the Ministry;
- 20. "Manual" means a document or a set of documents that provide written instructions to staff of the Company;
- 21. "*Ministry*" means the ministry of the government of Ontario responsible for the *EPA* and includes all officials, employees or other persons acting on its behalf;
- 22. "Offtake System" means any individual Coke Oven apparatus that is stationary and provides a passage for gases from a Coke Oven to a By-product coke oven battery Collecting Main or to another Coke Oven. Offtake system components include the standpipe and standpipe caps, goosenecks, flange between the gooseneck and collection main, stationary jumper pipes, mini-standpipes, and standpipe and gooseneck connections;
- 23. "Publication NPC-300" means the *Ministry* Publication NPC-300, "Environmental Noise Guideline, Stationary and Transportation Sources Approval and Planning, Publication NPC-300", August 2013, as amended.
- 24. "Pushing" means the coke oven operation in which coke is removed from a Coke Oven and "push" has a corresponding meaning;
- 25. "Quenching" means the process of cooling hot coke by direct contact with water; and "quench" has a corresponding meaning;
- 26. "Shut-down" means an operating condition during which the operation of a *By-product coke oven battery* is decreased from normal operating conditions to an inoperative state;
- 27. "Start-up" means an operating condition during which the operation of a *By-product coke oven battery* is increased from an inoperative state to normal operating conditions;
- 28. "Topside Port Lid" means a cover, removed during Charging, that is placed over the opening through which coal can be charged into a Coke Oven;

- 29. "USEPA" means the United States Environmental Protection Agency; and
- 30. "Visible Emissions" means any emission seen by the unaided (except for corrective lenses) eye, excluding steam or condensing water.

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. OPERATION AND MAINTENANCE

- 1. The *Company* shall ensure that the *Equipment* is properly operated and maintained at all times. The *Company* shall:
 - a. prepare, not later than three (3) months after the date of this *Approval*, and update, as necessary, a *Manual* outlining the operating procedures and a maintenance program for the *Equipment*, including:
 - i. routine operating and maintenance procedures in accordance with good engineering practices and as recommended by the *Equipment* suppliers;
 - ii. emergency procedures, including spill clean-up procedures;
 - iii. procedures for any record keeping activities relating to operation and maintenance of the *Equipment*;
 - iv. all appropriate measures to minimize noise and odorous emissions from all potential sources; and
 - b. implement the recommendations of the Manual.

2. RECORD RETENTION

- 1. The *Company* shall retain, for a minimum of two (2) years from the date of their creation, all records and information related to or resulting from the recording activities required by this *Approval*, and make these records available for review by staff of the *Ministry* upon request. The *Company* shall retain:
 - a. all records on the maintenance, repair and inspection of the *Equipment;* and
 - b. all records of any environmental complaints, including:
 - i. a description, time and date of each incident to which the complaint relates;

- ii. wind direction at the time of the incident to which the complaint relates; and
- iii. a description of the measures taken to address the cause of the incident to which the complaint relates and to prevent a similar occurrence in the future.

3. NOTIFICATION OF COMPLAINTS

- 1. The *Company* shall notify the *District Manager*, in writing, of each environmental complaint within two (2) business days of the complaint. The notification shall include:
 - a. a description of the nature of the complaint; and
 - b. the time and date of the incident to which the complaint relates.

4. NOISE

1. The *Company* shall, at all times, ensure that the noise emissions from the *Facility* comply with the limits set out in *Ministry Publication NPC-300*.

5. PERFORMANCE LIMITS

1. The *Company* shall comply with the Coke Oven Battery Observation Requirements outlined in Schedule A of this *Approval*.

6. REQUIREMENTS FOR PUBLIC REPORTING

1. The *Company* shall comply with the Requirements for Public Reporting outlined in Schedule B of this *Approval*.

SCHEDULE A - Coke Oven Battery Observation Requirements

Part 1: Application

- 1. For the purpose of this Schedule, a *Charge* of a *Coke Oven* commences when coal begins to flow into the *Coke Oven* through a topside port and ends when the last topside port is re-capped.
- 2. For the purpose of this Schedule, a *Push* commences with the first detectable movement of the coke mass being removed from the *Coke Oven* and ends when the quench car carrying the coke enters the quench tower.
- 3. For the purpose of this Schedule, a *Quench* begins when the quench car enters the quench tower and ends when the quench car exits the quench tower.

Part 2: Work Ordered

Visible Emission Limits - Doors, Lids, Offtakes and Charging

Item 2.1

- 1. Subject to Item 2.15, the *Company* shall comply with the rules set out in paragraph 2.
- 2. Each *By-product coke oven battery* at the *Facility* shall be operated in a manner that complies with the rules set out in Columns 1, 2 and 3 of Table 1.

Table 1 – Daily 30-day Rolling Average Per Cent Leaking Doors, Lids and Offtakes

Column 1	Column 2	Column 3
Daily 30-day Rolling	Daily 30-day Rolling	Daily 30-day Rolling
Average Per Cent Leaking	Average Per Cent Leaking	Average Per Cent Leaking
Doors (PLD (30-day))	Topside Port Lids (PLL	Offtake Systems (PLO
	(30-day))	(30-day))
The daily 30-day rolling	The daily 30-day rolling	The daily 30-day rolling
average per cent leaking	average per cent leaking	average per cent leaking
doors as calculated in	Topside Port Lids as	Offtake Systems as
accordance with Item 2.4	calculated in accordance	calculated in accordance
shall not exceed 4.0%.	with Item 2.4 shall not	with Item 2.4 shall not
	exceed 0.4%.	exceed 2.5 %.

Item 2.2

Subject to Item 2.15, the *Company* shall comply with the following rule:

1. Each *By-product coke oven battery* at the *Facility* shall be operated in a manner that results in the daily 30-day rolling log average of seconds of *Visible Emissions* for the *By-product coke oven battery* during *Charging*, calculated in accordance with Item 2.4, not exceeding 12 seconds.

Item 2.3

The *Company* shall ensure that, the *District Manager* is notified in writing of any failure to comply with Item 2.1 or 2.2 as soon as practicable following the date of the failure to comply. The notice shall include the following information:

- 1. The first and last date of the 30-day period on which the calculation mentioned in Item 2.1 or 2.2, as applicable, was based.
- 2. The value of the result of the calculation that indicated the failure to comply.

- 3. Identification of the *By-product coke oven battery* for which the calculation that indicated failure to comply was performed.
- 4. Identification of each *Coke Oven* for which an observation was used in the calculation that indicated the failure to comply
- 5. Any relevant information regarding the cause of the failure to comply, if known.
- 6. If the cause of the failure to comply is not known, an assessment of the most likely cause based on the best information available and an explanation of steps that have been taken or will be taken to determine the cause.

Visible Emissions - Observation and Calculation

Item 2.4

- 1. Subject to paragraph 2 and Item 2.15, for each *By-product coke oven battery* at the *Facility*, the *Company* shall ensure that each day:
 - i. *Visible Emissions* from the following sources of contaminant are observed, determined and recorded in accordance with *Method 303:*
 - A. Charging systems during Charging;
 - B. Doors, Topside Port Lids and Offtake Systems on Coke Ovens; and
 - C. Collecting Mains; and
 - ii. the following calculations are made in accordance with Method 303:
 - A. The per cent leaking doors for a day (PLD).
 - B. The daily 30-day rolling average per cent leaking doors (PLD(30-day)).
 - C. The per cent leaking Topside Port Lids for a day (PLL).
 - D. The daily 30-day rolling average of per cent leaking *Topside Port Lids* (PLL(30-day)).
 - E. The per cent leaking Offtake Systems for a day (PLO).
 - F. The daily 30-day rolling average of per cent leaking *Offtake Systems* (PLO(30-day)).
 - G. The daily 30-day rolling log average of seconds of *Visible Emissions* during *Charging*.
- 2. Subject to paragraph 3, reference to a day in paragraph 1 includes, at minimum, each of the following days:
 - i. Each *Business Day* in a calendar year.
 - ii. At least ten Saturdays in a calendar year.

- iii. At least ten Sundays in a calendar year.
- 3. The *District Manager* may specify a different set of days than the days set out in paragraph 2 for a *By-product coke oven battery* if the *Director* is of the opinion that no failure to comply with Item 2.1 or 2.2 has occurred in the past 12 months with respect to the battery and the battery specified is operating properly.
- 4. For the purpose of this Schedule, a reference to "63.309 (c)(1) of this part" in paragraphs 11.1.1 and 11.2.1 of *Method 303* is a reference to 40 CFR 63.309 (c) (1).
- 5. For the purpose of this Schedule, a person will be considered to be a certified observer under *Method 303* if,
 - i. the person is a certified observer under Method 303, or
 - ii. the person,
 - A. has met all of the certification requirements, including recertification requirements where applicable, set out in section 10 of *Method 303* except for the requirement set out in section 10.1.3 of *Method 303* to have the composition of the panel approved by the *USEPA*,
 - B. the *Director* waived the requirement mentioned in sub-subparagraph A in writing, and
 - C. the composition of the panel mentioned in sub-subparagraph A was approved by the *Director*.
- 6. For the purpose of this Schedule, the requirement for a certified observer (*Method 303*) to be employed by the administrator, as set out in 40 CFR 63.301, does not apply.
- 7. The *Ministry* is not an enforcement agency for the purpose of Section 10.3 of *Method 303.*
- 8. For each certified observer who makes an observation for the purpose of paragraph 1, the *Company* shall ensure that a record reflecting the successful completion of the proficiency test referred to in *Method 303* is retained at the *Facility* for a period of two (2) years.
- 9. For a certified observer described under subparagraph 5 ii, the checklist mentioned in sections 10.1.3 and 10.3 of *Method 303* may be a checklist provided by the *District Manager*.
- 10. For the purpose of this Schedule, an observer may wait to observe *Visible Emissions* from the *Offtake System* of a *Coke Oven* being charged until approximately five minutes after the completion of the charge.
- 11. For the purpose of this Schedule, an observer may count a door of a Coke Oven

that has been charged in the 30-minute period preceding the observation as uncounted.

- 12. For the purpose of this Schedule, the following requirements do not apply with respect to the *Coke Side* of the by-product *Coke Ovens:*
 - i. The requirements with respect to the traverse set out in, *Method 303*, paragraph 11.2.2, if the requirements set out in 11.2.2.3 are met with respect to the traverse.
 - ii. The calculation set out in, *Method 303,* 12.5.2 if the calculation set out in 12.5.3 is used.

Observation of the Opacity of Fugitive Pushing Emissions

Item 2.5

For greater certainty, the requirements set out in Item 2.5 pertain only to the opacity of fugitive *Pushing* emissions and not to the opacity of any other emissions.

- 1. Subject to Item 2.15 and paragraph 9, the *Company* shall ensure that the opacity of fugitive *Pushing* emissions for each *By-product coke oven battery* at the *Facility* is determined and recorded each day in accordance with paragraphs (a) (1) to (6) of 40CFR63, subpart CCCCC, section 63.7334 (United States).
- 2. Subject to paragraph 3, reference to a day in paragraph 1 includes, at minimum, each of the following days:
 - i. Each Business Day in a calendar year.
 - ii. At least ten Saturdays in a calendar year.
 - iii. At least ten Sundays in a calendar year.
- 3. The *Director* may specify a different set of days than the days set out in paragraph 2 for a *By-product coke oven battery* if the *District Manager* is of the opinion that no failure to comply with Item 2.14 has occurred in the past 12 months with respect to the battery and the battery being specified is operating properly.
- 4. Figures 9.1 and 9.2 of *Method 9* do not apply for the purpose of this Schedule. For the purpose of this Schedule the *Company* shall use current existing field data sheets and record sheets.
- 5. For the purpose of this Schedule, the requirement for a *Method 9* certified observer to be employed by the administrator, as set out in 40 CFR 63.301, does not apply.
- 6. For the purpose of this Schedule, the alternative procedure mentioned in paragraph (a) (3) of 40CFR63, subpart CCCCC, section 63.7334 (United States)

is not available.

- 7. For further certainty, the following determinations shall be made with respect to the *Pushing* opacity observations required to be made under paragraph (a)(4) of 40CFR63, subpart CCCCC, section 63.7334 (United States):
 - i. Determine the average opacity of the first six observations.
 - ii. Using the next opacity observation and the previous five observations, determine the average opacity.
 - iii. Repeat the determination described in subparagraph ii for all observations.
 - iv. Identify the highest average opacity determined in subparagraphs i to iii.
 - v. The average determined in subparagraph iv is deemed to be the average opacity of fugitive *Pushing* emissions for the push.
- 8. If two or more determinations required by paragraph 1 are not made in any sevenday period, the *Company* shall ensure that the *Director* and *District Manager* are notified in writing as soon as practicable.
- 9. The opacity of fugitive *Pushing* emissions associated with a *Coke Oven* push may be determined and recorded by a method other than the method set out in paragraph 1 if in the opinion of the *Director* the information submitted under paragraph 10 demonstrates that,
 - a. the method set out in paragraph 1 does not allow adequate observation of the opacity of the fugitive *Pushing* emissions because,
 - i. the Coke Oven push occurred at night, or
 - ii. an obstruction is preventing the observation of the Coke Oven push; and
 - b. the method is reasonably equivalent to paragraphs (a) (1) to (6) of 40CFR63, subpart CCCC, section 63.7334 (United States).
- 10. The information mentioned in paragraph 9 includes the following:
 - i. An identification of each Coke Oven for which the other method may be used.
 - ii. An identification of the *By-product coke oven battery* in which each of the *Coke Ovens* set out in subparagraph i is located.
 - iii. An explanation of why it is not possible to use method set out in paragraph 1 for each of the *Coke Ovens* set out in subparagraph i.
 - iv. A detailed explanation of the proposed other method.
 - v. The number of days the other method may be used.

Operational Adjustments to Reduce Visible Emissions - Doors, Lids and Offtakes

The *Company* shall ensure that, for each *By-product coke oven battery* at the *Facility*, a document entitled "Operational Adjustments – Visible Emissions" is prepared. The document shall set out actions to be taken if an exceedance described in Item 2.9 occurs and, for each action, shall include a written procedure to implement the action. One of the actions set out in the document shall be to cease operating a *Coke Oven*.

Item 2.7

The *Company* shall ensure that a graphic representation of the actions required to be set out by Item 2.6 is given to the *District Manager*.

Item 2.8

No later than March 31 of each year, the *Company* shall ensure that if, during the previous calendar year, any change is made to an action required to be set out by Item 2.6, the graphic required to be given by Item 2.7 is updated to reflect the change and the updated graphic and the reason for each update is given to the *District Manager*.

Item 2.9

- 1. The requirements of this Item are subject to Item 2.15.
- 2. If, as calculated in accordance with Item 2.4, the per cent leaking doors on a *By-product coke oven battery* at the *Facility* exceeds **five** (5) per cent, the *Company* shall ensure that one or more operational adjustments are made to minimize the discharge of *Visible Emissions* from leaking *Coke Oven Doors*.
- 3. If, as calculated in accordance with Item 2.4, the per cent leaking *Topside Port Lids* on a *By-product coke oven battery* at the *Facility* exceeds **one (1) per cent**, the *Company* shall ensure that one or more operational adjustments are made to minimize the discharge of *Visible Emissions* from leaking *Topside Port Lids*.
- 4. If, as calculated in accordance with Item 2.4, the per cent leaking Offtake Systems on a By-product coke oven battery at the Facility exceeds four (4) per cent, the Company shall ensure that one or more operational adjustments are made to minimize the discharge of Visible Emissions from leaking Offtake Systems.
- 5. If an operational adjustment is required to be made under paragraphs 2, 3, or 4 the *Company* shall ensure that a record describing the operational adjustment is prepared.

- 6. The record required by paragraph 5 shall contain the following information:
 - i. An indication of whether emissions from *Coke Oven Doors*, *Topside Port Lids* or *Offtake Systems* gave rise to the requirement to make an operational adjustment.
 - ii. The result of the calculation performed in accordance with Item 2.4.
 - iii. Identification of the *By-product coke oven battery* from which the emissions mentioned in subparagraph i were emitted.
 - iv. Identification of the *Coke Ovens* or port numbers from which the emissions mentioned in subparagraph i were emitted.
 - v. The date on which the result mentioned in subparagraph ii was calculated.
 - vi. The production rate of the *By-product coke oven* battery on the date mentioned in subparagraph v.
 - vii. The name of the certified observer who determined the result mentioned in subparagraph ii.
 - viii. The name of the persons operating and supervising the *By-product coke oven battery* mentioned in subparagraph iii on the date mentioned in subparagraph v.
 - ix. A description of the operational adjustment made in accordance with paragraph 2, 3 or 4 as applicable.
 - x. The date on which the operational adjustment mentioned in subparagraph ix commenced and the date on which the operational adjustment was completed.

Item 2.10

1. The *Company* shall ensure that the *District Manager* is notified in writing if two or more operational adjustments are required to be made under Item 2.9 in any seven-day period. The notice shall include the record required

by paragraph 5 of Item 2.9 for each of the operational adjustments.

- 2. The seven-day period mentioned in paragraph 1 shall end on the date that is six days after the date on which the first operational adjustment is required to be made under Item 2.9.
- 3. The *District Manager* shall be notified as soon as practicable following the last day of the seven-day period mentioned in paragraph 2. The notice shall address all operational adjustments required to be made in the period.
- 4. An operational adjustment in respect of which a notice has been given by the *Company* under paragraph 1 shall not be included in determining whether two or more operational adjustments have been required within a subsequent seven-day period.

Operational Adjustments to Reduce Fugitive Pushing Emissions

Item 2.11

For greater certainty, the requirements set out in Item 2.11 of this Schedule pertain only to the opacity of fugitive *Pushing* emissions and not to the opacity of any other emissions.

The *Company* shall ensure that, for each *By-product coke oven battery* at the *Facility*, a document entitled "Operational Adjustments – Reducing Fugitive Emissions During Pushing" is prepared. The document shall set out actions that could be taken if an operational adjustment is required to be made under Item 2.14 and, for each action, shall include a written procedure to implement the action. One of the actions set out in the document shall be to increase the duration of the *Coking Process* for a *Coke Oven*.

Item 2.12

For greater certainty, the requirements set out in Item 2.12 of this Schedule pertains only to the opacity of fugitive *Pushing* emissions and not to the opacity of any other emissions.

The *Company* shall ensure that a graphic representation of the actions required to be set out by Item 2.11 is given to the *Director* and *District Manager*.

Item 2.13

For greater certainty, the requirements set out in Item 2.13 of this Schedule pertain only

to the opacity of fugitive *Pushing* emissions and not to the opacity of any other emissions.

No later than March 31 of each year, the *Company* shall ensure that if, during the previous calendar year, any change is made to an action required to be set out by Item 2.11, the graphic required to be given by Item 2.12 is updated to reflect the change and the updated graphic and the reason for each update is given to the *District Manager*.

Item 2.14

For greater certainty, the requirements set out in Item 2.14 of this Schedule pertain only to the opacity of fugitive *Pushing* emissions and not to the opacity of any other emissions.

- 1. Subject to Item 2.15, the *Company* shall ensure that one or more of the operational adjustment actions set out in the document mentioned in Item 2.11 are made to minimize the discharge of emissions to the air during *Pushing* if during any day the *Fugitive Emissions* associated with a *Coke Oven* push have an average opacity, determined in accordance with Item 2.5, of 30 per cent or more.
- 2. Subject to paragraph 3, no later than thirty days after the date on which a requirement to make an operational adjustment arose under paragraph 1, the *Company* shall, for a 30-day period, cease to operate each *Coke Oven* that gave rise to the requirement to make an operational adjustment under paragraph 1.
- 3. Paragraph 2 does not apply if,
 - a. during the thirty-day period mentioned in paragraph 2, the opacity of the fugitive *Pushing* emissions associated with each *Coke Oven* that was observed on the date on which the requirement to make an operational adjustment arose under paragraph 1 is observed again and no *Fugitive Emissions* associated with a *Coke Oven* push have an average opacity, determined in accordance with Item 2.5, of less than 30 per cent; or
 - b. Subject to paragraph 5, the *Director* and *District Manager* have been notified of and the *Director* has approved a plan to minimize the discharge of emissions to the air during the *Pushing* of each *Coke Oven* that gave rise to the requirement to make an operational adjustment under in paragraph 1.
- 4. If the information required by clause 3 a. is not ascertained before the date that is half way through the 30-day period mentioned in paragraph 2, the *Company* shall ensure that the *District Manager* is notified as soon as practicable after the date.
- 5. The Director shall not approve the plan mentioned in clause 3 b. for a period of more than 24 months.
- 6. If an operational adjustment is required to be made under paragraph 1, the

Company shall ensure that a record describing the operational adjustment is prepared.

- 7. The record required by paragraph 6 shall contain the following information:
 - i. The opacity of the *Fugitive Emissions* that gave rise to the requirement to make the operational adjustment.
 - ii. Identification of each *Coke Oven*, the push of which gave rise to the requirement to make the operational adjustment.
 - iii. Identification of the *By-product coke oven battery* in which the *Coke Ovens* mentioned in subparagraph ii are located.
 - iv. The date on which the opacity mentioned in subparagraph i was determined.
 - v. The production rate of the *By-product coke oven battery* on the date mentioned in subparagraph iv.
 - vi. The name of the certified observer qualified under *Method 9* who determined the opacity mentioned in subparagraph i.
 - vii. The name of the persons operating and supervising the *By-product coke* oven battery mentioned in subparagraph iii on the date mentioned in subparagraph iv.
 - viii. A description of the operational adjustment made in accordance with paragraph 1.
 - ix. The date on which the operational adjustment mentioned in subparagraph viii commenced and the date on which the operational adjustment was completed.

Start-up, Shut-down, Battery Repair and Batteries not in Operation

Item 2.15

- 1. The *Director* may approve a plan setting out operating practices during a period of *Start-up, Shut-down* or *Battery Repair* if he or she is of the opinion that the operating practices will minimize the discharge of contaminants during the period.
- 2. Approval of the plan mentioned in paragraph 1 shall expire at the end of the period mentioned in paragraph 1.
- 3. During a period of approval mentioned in paragraph 2, the *Company* shall comply with the operating practices set out in the plan approved under paragraph 1 instead of Items 2.1, 2.2, 2.4, 2.5, 2.9 and 2.14.
- 4. Items 2.1, 2.2, 2.4, 2.5, 2.9 and 2.14 do not apply during a period in which a *By-product coke oven battery* is not operating.

Requirements for Record-Keeping

Item 2.16

- 1. The *Company* shall ensure that the following information is recorded:
 - i. The daily production rate of each By-product coke oven battery at the Facility.
 - ii. The date, time and reason for each *Shut-down* of a *Coke Oven* and the date and time that the *Coke Oven* was re-started.
 - iii. The date, time and reason for each *Battery Repair* and the date and time that the *Battery Repair* was completed.
 - iv. The date, time and durations of each power outage that affected a *By-product coke oven battery* at the *Facility*.
 - v. For each By-product coke oven battery at the Facility,
 - a. The per cent leaking doors calculated in accordance with Item 2.4.
 - b. The per cent leaking *Topside Port Lids* calculated in accordance with Item 2.4.
 - c. The per cent leaking *Offtake Systems* calculated in accordance with Item 2.4.
 - d. The *Visible Emissions* from charging systems during *Charging* calculated in accordance with Item 2.4.
 - e. The opacity of fugitive *Pushing* emissions determined in accordance with Item 2.5.

SCHEDULE B – Requirements for Public Reporting

- 1. The *Company* shall maintain and participate in the existing Community Liaison Committee (CLC) for the *Facility*, and ensure that,
 - a. the CLC meets, at a minimum, quarterly or at a frequency agreed to in writing by the CLC members and serves as a forum for dissemination, consultation, review and exchange of information regarding the operation of the *Facility*, environmental issues such as the need for new approvals or amendments to existing approvals to reduce emissions of suspended particulate matter;
 - b. a report is presented at each meeting that includes, for each *By-product coke* oven battery at the *Facility*, a summary of the following information:
 - i. the information required by Schedule A Item 2.3 with respect to each notice required to be given during the period since the last meeting of the CLC.
 - ii. the information required by Schedule A Item 2.9 paragraph 6 with

- respect to each record required to be made during the period since the last meeting of the CLC,
- iii. the information required by Schedule A Item 2.14 paragraph 7 with respect to each record required to be made during the period since the last meeting of the CLC,
- iv. Complaints received by the *Facility* during the period since the last meeting of the CLC that relates to a matter addressed in this *Approval*, and
- v. Any comments provided to the *Facility* by the *Ministry* regarding the status of subparagraphs i to iv.
- c. for each meeting, the materials, such as agendas and presentations, are posted to the *Company* website no later than five *Business Day*s after the date that the CLC meeting is held.
- 2. By July 1 of each year, the *Company* shall prepare a report titled "Environmental Management System and Community Engagement Report" that sets out the following information with respect to the preceding calendar year:
 - i. A summary of the information required by Schedule A Item 2.3 with respect to each notice required to be given.
 - ii. A summary of the information required by Schedule A Item 2.9 paragraph 6 with respect to each record required to be made.
 - iii. A summary of the information required by Schedule A Item 2.14 paragraph 7 with respect to each record required to be made.
 - iv. The minutes of the CLC meetings and any related follow-up actions.
- 3. The report required by paragraph 2 shall be made available for public inspection at the Facility during office hours and be posted to the *Company* website.

The reasons for the imposition of these terms and conditions are as follows:

- 1. Condition No. 1 is included to emphasize that the *Equipment* must be maintained and operated according to a procedure that will result in compliance with the *EPA*, the Regulations and this *Approval*.
- 2. Condition No. 2 is included to require the *Company* to keep records and to provide information to staff of the *Ministry* so that compliance with the *EPA*, the Regulations and this *Approval* can be verified.
- 3. Condition No. 3 is included to require the *Company* to notify staff of the *Ministry* so as to assist the *Ministry* with the review of the site's compliance.

4. Condition No. 4 is included to provide the minimum performance requirements considered necessary to prevent an adverse effect resulting from the operation of the *Facility*.

Upon issuance of the environmental compliance approval, I hereby revoke Approval No(s). 61/2/313, 8-2096-97-006, 8-2188-75-796, 72/2/269 and 0714-7YMRAU issued on July 27, 1971, September 11, 1997, July 25, 1979, July 10, 1972 and December 22, 2009.

In accordance with Section 139 of the Environmental Protection Act, you may by written Notice served upon me, the Environmental Review Tribunal and in accordance with Section 47 of the Environmental Bill of Rights, 1993, the Minister of the Environment, Conservation and Parks, within 15 days after receipt of this Notice, require a hearing by the Tribunal. The Minister of the Environment, Conservation and Parks will place notice of your appeal on the Environmental Registry. Section 142 of the Environmental Protection Act provides that the Notice requiring the hearing shall state:

- a. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
- b. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

Pursuant to subsection 139(3) of the Environmental Protection Act, a hearing may not be required with respect to any terms and conditions in this environmental compliance approval, if the terms and conditions are substantially the same as those contained in an approval that is amended or revoked by this environmental compliance approval.

The Notice should also include:

- 1. The name of the appellant;
- 2. The address of the appellant;
- 3. The environmental compliance approval number;
- 4. The date of the environmental compliance approval;

AND

- 5. The name of the Director, and;
- 6. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

AND

Toronto, Ontario M4V 1P5

* Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349, Fax: (416) 326-5370 or www.ert.gov.on.ca

This instrument is subject to Section 38 of the Environmental Bill of Rights, 1993, that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek leave to appeal within 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry at https://ero.ontario.ca/, you can determine when the leave to appeal period ends.

The above noted activity is approved under s.20.13 of Part II.1 of the Environmental Protection Act.

DATED AT TORONTO this 25th day of January, 2021

> Rudolf Wan, P.Eng. Director appointed for the purposes of Part II.1 of the Environmental Protection Act

MS/

c: District Manager, MECP Hamilton District Office Katie Chan, Stelco Inc.