

# Ministry of the Environment, Conservation and Parks Ministère de l'Environnement, de la Protection de la nature et des Parcs

# **ENVIRONMENTAL COMPLIANCE APPROVAL**

NUMBER 8518-BXUM7Q Issue Date: March 29, 2021

Fairview Trailer Park Ltd.

158503 7th Line RR1, Town of Meaford,

Ontario, N4L 1W5

Site Location: Fairview Trailer Park

158503 7th Line RR1, Municipality of Meaford,

County of Grey, Ontario.

You have applied under section 20.2 of Part II.1 of the <u>Environmental Protection Act</u>, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:

the establishment of sewage Works servicing FAIRVIEW TRAILER PARK comprising of 86 RV Trailer sites and accessory buildings on a 2.9 ha. site for the treatment in Septic Tanks and subsurface disposal of domestic sewage in Tile Beds, at a maximum design capacity of 18,000 litres per day, consisting of the following:

- 1. Rec Hall Septic Tank: One (1) existing precast reinforced concrete septic tank having a capacity of approximately 3,600 L, collecting wastewater from the Rec Hall and discharging effluent to Pumping Chamber 1 described below:
- 2. House Septic Tank: One (1) existing precast reinforced concrete septic tank having a capacity of approximately 3,600L, collecting wastewater from one (1) two-bedroom dwelling and discharging effluent to Pumping Chamber 1 described below:
- 3. Pumping Chamber 1: One (1) existing concrete manhole of unknown capacity, equipped with one (1) submersible sewage pump, receiving wastewater from one (1) trailer site as well as effluent from the Rec Hall and House Septic Tanks and discharging to the Main Septic Tank described later on:
- 4. New Central Septic Tank: One (1) new precast reinforced concrete septic tank having a capacity of approximately 22,500 L, collecting wastewater from fifty-two (52) trailer sites and discharging effluent to the Main Septic Tank described below;
- 5. Main Septic Tank: One (1) existing precast reinforced concrete septic tank having a capacity of approximately 13,600 L, collecting wastewater from thirty-three (33) trailer sites and one (1) washroom building as well as effluent from Central Septic Tank and Pumping Chamber 1 and discharging effluent to

Pumping Chamber 2 described below;

- 6. Pumping Chamber 2: One (1) new precast reinforced concrete manhole, 2,700 L capacity equipped with two (2) submersible sewage pumps, receiving effluent from the Main Septic Tank and discharging to the two-cell absorption trench leaching bed described below by two (2) 38 mm diameter forcemains;
- 7. Expanded, Two-Cell Subsurface Sewage Disposal System:
  - 1. Cell 1: existing fill-based absorption trench leaching bed system, design capacity of 12,000 L/day, consisting of 14 runs of 75 mm diameter PVC perforated distribution pipe, each run being 21.5 m long for a total of approximately 300 m, installed within clear stone in a raised bed of leaching bed fill with T=5 min/cm, including a 15 m wide mantle;
  - 2. Cell 2: a new raised fill-based absorption trench leaching bed system, design capacity of 6,000 L/d, consisting of 8 runs of 75 mm diameter PVC perforated distribution pipe, each run being 20 m long for a total of 160 m, installed within clear stone in a raised bed of leaching bed fill with T=5 min/cm, including a 15 m wide mantle;

all as per site plan showing the system has been included in Appendix A

all other controls, electrical equipment, instrumentation, piping, pumps, valves and appurtenances essential for the proper operation of the aforementioned sewage works;

## Facilities to be decommissioned and removed:

- 1. South Septic Tank: One (1) concrete block septic tank having a capacity of approximately 9,100L, collecting wastewater from twenty (20) trailer sites and discharging effluent to the Main Septic tank.
- 2. Central Septic Tank: One (1) concrete block septic tank having a capacity of approximately 9,500L, collecting wastewater from twelve (12) trailer sites and discharging effluent to the Rec Hall Septic Tanks.
- 3. Pumping Chamber 2 : One (1) concrete manhole of unknown capacity, equipped with one (1) submersible sewage pump, receiving effluent from the Main Septic Tank and discharging to the absorption trench leaching bed;

all in accordance with Supporting Documentation submitted to the Ministry as listed in the Schedule A.

For the purpose of this environmental compliance approval, the following definitions apply:

- 1. "Approval" means this entire document and any schedules attached to it, and the application;
- 2. "Director" means a person appointed by the Minister pursuant to section 5 of the EPA for the purposes of Part II.1 of the EPA;

- 3. "District Manager" means the District Manager of the Owen Sound office;
- 4. "EPA" means the Environmental Protection Act, R.S.O. 1990, c.E.19, as amended;
- 5. "Licensed Installer" means a person who is registered under the OBC to construct, install, repair, service, clean or empty on-site sewage systems;
- 6. "Ministry" means the ministry of the government of Ontario responsible for the EPA and OWRA and includes all officials, employees or other persons acting on its behalf;
- 7. "OBC" means the Ontario Building Code;
- 8. "Owner" means Fairview Trailer Park Ltd. and its successors and assignees;
- 9. "OWRA" means the *Ontario Water Resources Act*, R.S.O. 1990, c. O.40, as amended;
- 10. "Works" means the approved sewage works, and includes the new Works, and the existing Works

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

#### TERMS AND CONDITIONS

#### 1. GENERAL PROVISIONS

- 1. The Owner shall ensure that any person authorized to carry out work on or operate any aspect of the Works is notified of this Approval and the terms and conditions herein and shall take all reasonable measures to ensure any such person complies with the same.
- 2. The Owner shall design, construct, operate and maintain the Works in accordance with the conditions of this Approval.
- 3. Where there is a conflict between a provision of any document referred to in this Approval and the conditions of this Approval, the conditions in this Approval shall take precedence.

## 2. EXPIRY OF APPROVAL

1. The approval issued by this Approval will cease to apply to those parts of the Works which have not been constructed within five (5) years of the date of this Approval.

#### 1. CHANGE OF OWNER

- 1. The Owner shall notify the District Manager and the Director, in writing, of any of the following changes within 30 days of the change occurring:
  - a. change of address of Owner;
  - b. change of Owner, including address of new owner;
  - c. change of partners where the Owner is or at any time becomes a partnership, and a copy of the most recent declaration filed under the *Business Names Act*, R.S.O. 1990, c.B17 shall be included in the notification to the District Manager;
  - d. change of name of the corporation where the Owner is or at any time becomes a corporation, and a copy of the most current information filed under the *Corporations Information Act*, R.S.O. 1990, c. C39 shall be included in the notification to the District Manager;
- 2. In the event of any change in ownership of the Works, other than a change to a successor municipality, the Owner shall notify in writing the succeeding owner of the existence of this Approval, and a copy of such notice shall be forwarded to the District Manager and the Director.

#### 2. CONSTRUCTION

- 1. The Owner shall ensure that the construction of the Works is supervised by a licensed installer, as defined in the *Ontario Building Code* or a Professional Engineer, as defined in the *Professional Engineers Act*.
- 2. The Owner shall ensure that the Works are constructed such that minimum horizontal clearance distances as specified in the OBC are satisfied.
- 3. The Owner shall ensure that the soil that is required for construction of any subsurface disposal bed as per this Approval is tested and verified to be suitable by the Professional Engineer or Licensed Installer for the percolation time (T) prior to delivering to the site location and the written records are kept at the site.
- 4. Upon construction of the Works, the Owner shall prepare a statement, certified by a Professional Engineer, that the Works are constructed in accordance with this Approval, and upon request, shall make the written statement available for inspection by Ministry staff.
- 5. Upon construction of the Works, the Owner shall prepare a set of as-built drawings showing the works "as constructed". "As-built" drawings shall be kept up to date through revisions undertaken from time to time and a copy shall be retained at the site for the operational life of the Works and shall be made available for inspection by Ministry staff.

## 3. OPERATIONS, MAINTENANCE, AND RECORDING

- 1. The Owner shall ensure that, at all times, the Works and the related equipment and appurtenances used to achieve compliance with this Approval are properly operated and maintained. Proper operation and maintenance shall include effective performance, adequate funding, adequate staffing and training, including training in all procedures and other requirements of this Approval and the OWRA and regulations, adequate laboratory facilities, process controls and alarms and the use of process chemicals and other substances used in the Works.
- 2. The Owner shall ensure that the septic tank is pumped out every 3-5 years or when the tank is 1/3 full of solids and the effluent filter is cleaned out at minimum once a year or more often if required.
- 3. The Owner shall ensure that grass-cutting is maintained regularly over the subsurface disposal bed, and that adequate steps are taken to ensure that the area of the underground works is protected from vehicle traffic.
- 4. The Owner shall ensure that in the event a break-out is observed from the subsurface disposal bed, the sewage discharge to the bed is discontinued and the incident immediately reported verbally to the District Manager, followed by a written report within seven (7) days. The Owner shall ensure that during the time remedial actions are taking place the sewage generated at the site shall not be allowed to discharge to a surface water body or to the environment, and shall be safely collected and disposed of through a licensed waste hauler to an approved waste disposal site.
- 5. The Owner shall maintain a logbook to record the results of Operation and Maintenance activities specified in the above sub-clauses, and shall keep the logbook at the site and make it available for inspection by the Ministry staff.
- 6. The Owner shall employ measurement devices to accurately measure quantity of effluent being discharged to each individual subsurface disposal system, including but not limited to water/wastewater flow meters, event counters, running time clocks, or electronically controlled dosing, and shall record the daily volume of effluent being discharged to the subsurface disposal system.
- 7. The Owner shall retain for a minimum of five (5) years from the date of their creation, all records and information related to or resulting from the Operation and Maintenance activities required by this Approval.

## 4. REPORTING

- 1. One week prior to the start up of the operation of the Works, the Owner shall notify the District Manager (in writing) of the pending start up date.
- 2. The Owner shall, within fifteen (15) days of occurrence of a spill within the meaning of Part X of the EPA, submit a full written report of the occurrence to the District Manager describing the cause and discovery of the spill, clean-up and recovery measures taken, preventative measures to be taken and schedule of implementation, in addition to fulfilling the requirements under the EPA and O. Reg. 675/98

"Classification and Exemption of Spills and Reporting of Discharges".

# 7. DECOMMISSIONING OF UN-USED SEWAGE WORKS

- 1. The Owner shall properly abandon any portion of unused existing sewage Works, as directed below, and upon completion of decommissioning report in writing to the District Manager.
  - a. any sewage pipes leading from building structures to unused sewage Works components shall be disconnected and capped;
  - b. any unused septic tanks, holding tanks and pump chambers shall be completely emptied of its content by a licensed hauler and either be removed, crushed and backfilled, or be filled with granular material;
  - c. if the area of the existing leaching bed is going to be used for the purposes of construction of a replacement bed or other structure, all distribution pipes and surrounding material must be removed by a licensed hauler and disposed off site at an approved waste disposal site; otherwise the existing leaching bed may be abandoned in place after disconnecting, if there are no other plans to use the area for other purposes;

*The reasons for the imposition of these terms and conditions are as follows:* 

- 1. Condition 1 is imposed to ensure that the Works are built and operated in the manner in which they were described for review and upon which approval was granted. This condition is also included to emphasize the precedence of Conditions in the Approval and the practice that the Approval is based on the most current document, if several conflicting documents are submitted for review. The condition also advises the Owners their responsibility to notify any person they authorized to carry out work pursuant to this Approval the existence of this Approval.
- 2. Condition 2 is included to ensure that, when the Works are constructed, the Works will meet the standards that apply at the time of construction to ensure the ongoing protection of the environment.
- 3. Condition 3 is included to ensure that the Ministry records are kept accurate and current with respect to the approved works and to ensure that subsequent owners of the Works are made aware of the Approval and continue to operate the Works in compliance with it.
- 4. Condition 4 is included to ensure that the works are constructed, and may be operated and maintained such that the environment is protected and deterioration, loss, injury or damage to any person or property is prevented.
- 5. Condition 5 is included to require that the Works be properly operated, maintained, and equipped such that the environment is protected.

- 1. Condition 6 is included to provide a performance record for future references, to ensure that the Ministry is made aware of problems as they arise, and to provide a compliance record for all the terms and conditions outlined in this Approval, so that the Ministry can work with the Owner in resolving any problems in a timely manner.
- 7. Condition 7 is included to ensure that any components of unused Works are properly decommissioned.

#### Schedule A

- 1. Application for Approval of Industrial Sewage Works submitted by Carolyn Chan, P.Eng., GM BluePlan Engineering Ltd., dated September 24, 2020.
- 2. Sewage Works Design Brief and Impact Assessment GMBP File: C-3033 dated November 202, prepared and submitted by Carolyn Chan, P.Eng., GM BluePlan Engineering Ltd.

In accordance with Section 139 of the Environmental Protection Act, you may by written Notice served upon me, the Environmental Review Tribunal and in accordance with Section 47 of the Environmental Bill of Rights, 1993, the Minister of the Environment, Conservation and Parks, within 15 days after receipt of this Notice, require a hearing by the Tribunal. The Minister of the Environment, Conservation and Parks will place notice of your appeal on the Environmental Registry. Section 142 of the Environmental Protection Act provides that the Notice requiring the hearing shall state:

- a. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
- b. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

#### The Notice should also include:

- 1. The name of the appellant;
- 2. The address of the appellant;
- 3. The environmental compliance approval number;
- 4. The date of the environmental compliance approval;
- 5. The name of the Director, and;
- 6. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

# *This Notice must be served upon:*

The Director appointed for the purposes of The Secretary\* The Minister of the Environment. Part II.1 of the Environmental Protection Act Environmental Review Tribunal Conservation and Parks Ministry of the Environment, 655 Bay Street, Suite 1500 AND 777 Bay Street, 5th Floor AND Conservation and Parks Toronto, Ontario Toronto, Ontario 135 St. Clair Avenue West, 1st Floor M5G 1E5 M7A 2J3 Toronto, Ontario M4V 1P5

\* Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349, Fax: (416) 326-5370 or www.ert.gov.on.ca

This instrument is subject to Section 38 of the Environmental Bill of Rights, 1993, that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek leave to appeal within 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry at https://ero.ontario.ca/, you can determine when the leave to appeal period ends.

The above noted activity is approved under s.20.3 of Part II.1 of the Environmental Protection Act.

DATED AT TORONTO this 29th day of March, 2021

Fariha Parnu.

Fariha Pannu, P.Eng.
Director
appointed for the purposes of Part II.1 of the
Environmental Protection Act

## MN/

c: District Manager, DWECD, MECP Owen Sound Carolyn Chan, P.Eng., GM BluePlan Engineering Ltd.