
Certificate of Property Use

Issued under the authority of the Environmental Protection Act, R.S.O. 1990, c. E.19, sections 168.6 (CPU) and 197 (Order)

Certificate of property use number: 5600-BMBJWE
Risk assessment number: 3877-9Y9R4Z

Owner: (Owner)

1260868 Ontario Limited
501 Franklin Blvd.
Cambridge, ON, N1R 8G9

Site: (Property)

501 Franklin Boulevard, Cambridge

With a Legal Description of:

Part Lot 46, Plan 1135 Cambridge, Parts 4, 5, 6, 7, 8, 9 & 10, Plan 58R-8709, save and except part 3 on Ex Plan WR825716; subject to 1174107, 318286, 412584; Cambridge; subject to an easement in gross over Parts 1 & 2 on Ex Plan WR825716 until 2017/12/31 as in WR825716.

Being all of PIN: 03826-0478 (LT)

The conditions of this Certificate of Property Use (CPU) address the Risk Management Measures in the Risk Assessment noted above and described in detail in Part 1 below (Risk Assessment). In the event of a conflict between the CPU and the Risk Assessment, the conditions of the CPU take precedence.

Summary:

Refer to Part 1 of the CPU, Interpretation, for the meaning of all the defined capitalized terms that apply to the CPU.

Risk Management Measures (RMMs) that are required to be implemented are found in Part 4 of the CPU, Director Requirements. Key RMMs specified in Part 4 include, but are not limited to:

- Maintaining the existing Building's configuration as specified in Section 4.2 (a);
- Inspecting and maintaining the existing Building's Heating, Ventilation and Air Conditioning (HVAC) settings as specified in Section 4.2 (b);
- Inspecting and maintaining the existing Building's floor slab as specified in Section 4.2 (c);

- Prohibiting the construction of any new Building (s) on the Property unless a soil vapour assessment has been completed and the new Building (s) is constructed as specified in Section 4.2 (d)(i) and 4.2 (d)(ii) of this CPU;
- Implementing a confirmatory indoor air monitoring program within the existing Building as specified in Section 4.2 (o);
- Implementing a soil and groundwater management plan during any intrusive activities undertaken on the Property potentially in contact with COCs in soil and groundwater that have been identified in the RA at concentrations that exceed the Applicable Site Condition standards as per Section 4.2 (q) of this CPU.
- Implementing a health and safety plan during any intrusive activities undertaken on the Property potentially in contact with COCs in soil and groundwater that have been identified in the RA at concentrations that exceed the applicable site condition standards as specified in Section 4.2 (r) of this CPU;
- Implementing a groundwater monitoring program as specified in Section 4.2 (s);
- Prohibiting the use of groundwater in on or under the Property as per Section 4.3 of this CPU; and,
- Registering a certificate on the Property title in accordance with Section 197 of the Environmental Protection Act and that before dealing with the Property in any way, a copy of the CPU is to be given to any person who will acquire an interest in the Property as per Section 4.6, 4.7 and 4.8 of this CPU.

Part 1: Interpretation

In the CPU the following terms shall have the meanings described below:

“Adverse Effect” has the same meaning as in the Act; namely,

- (a) impairment of the quality of the natural environment for any use that can be made of it,
- (b) injury or damage to property or to plant or animal life,
- (c) harm or material discomfort to any person,
- (d) an adverse effect on the health of any person,
- (e) impairment of the safety of any person,
- (f) rendering any property or plant or animal life unfit for human use,
- (g) loss of enjoyment of normal use of property, and
- (h) interference with the normal conduct of business;

“Act” means the *Environmental Protection Act*, R.S.O. 1990, c. E. 19;

“Applicable Site Condition Standards” and “ASCS” means soil and groundwater that meets the soil or groundwater criteria identified in **Table 2: Full Depth Generic Site Condition Standards is a Potable Ground Water Condition (coarse textured soils)** of the Soil, Ground Water and Sediment Standards for Use under Part XV.1 of the Act published by the Ministry and dated April 15, 2011;

“Building (s)” means an enclosed structure (s) occupying an area greater than ten square metres consisting of a wall or walls, roof and floor;

“Contaminant” has the same meaning as in the Act; namely any solid, liquid, gas, odour, heat, sound, vibration, radiation or combination of any of them, resulting directly or indirectly from human activities that may cause an Adverse Effect;

“Contaminant of Concern” and “COC” has the meaning as set out in Section 3.2 of the CPU;

“Competent Person” has the same meaning as set out in the *Occupational Health and Safety Act* R.S.O. 1990, c.O.1;

“CPU” means this Certificate of Property Use Number No. **5600-BMBJWE** as may be amended from time to time;

"Director" means the undersigned Director or any other person appointed as a Director for the purpose of issuing a certificate of property use;

"EBR" means the *Environmental Bill of Rights, 1993*, S.O. 1993, c.28;

"Environmental Compliance Approval" has the same meaning as set out in the Act;

"Licensed Professional Engineer" means a person who holds a license, limited license or temporary license under the *Professional Engineers Act*, R.R.O. 1990, c.P.28;

"Ministry" means the ministry of the government of Ontario responsible for the administration of the Act, currently named the Ministry of the Environment, Conservation and Parks;

"O. Reg. 153/04" means Ontario Regulation 153/04 (Record of Site Condition – Part XV.1 of the Act), made under the Act;

"Owner" means **1260868 Ontario Limited.**, the current owner of the Property, and any subsequent Property Owner(s);

"OWRA" means the *Ontario Water Resources Act*, R.S.O. 1990, c.O.40;

"Property" means the property that is the subject of the CPU and described in the "Property" section on page 1 above, and illustrated in Figure 1 of Schedule A which is attached to and forms part of this CPU;

"Property Specific Standards" and "PSS" means the property specific standards established for the Contaminants of Concern set out in the Risk Assessment and in Section 3.2 of the CPU;

"Provincial Officer" means a person who is designated as a provincial officer for the purposes of the Act;

"Qualified Person" means a person who meets the qualifications prescribed in O. Reg. 153/04;

"Risk Assessment" and "RA" means the Risk Assessment No. **3877-9Y9R4Z** accepted by the Director on **December 11, 2019** and set out in the following final documents:

- **Risk Assessment, 501 Franklin Blvd., Cambridge, ON. Prepared by Premier Environmental Services Inc. for 1260868 Ontario Inc. dated March 10, 2017;**
- **Risk Assessment Number 1479-15 (IDS No. 3877-9Y9R4Z) 501 Franklin Boulevard, Cambridge, Ontario. Prepared by Premier Environmental Services Inc. for 1260868 Ontario Inc. dated October 10, 2018;**
- **Addendum to Risk Assessment Report for 501 Franklin Boulevard, Cambridge, Ontario. Prepared by Premier Environmental Services Inc., dated March 21, 2019; and,**
- **Email RE: Request for additional information; 501 Franklin Blvd., Cambridge; RA1479-15c; IDS#3877-9Y9R4Z from Kyla Hoyles, Premier Environmental Services, received by TASDB with the following document attached:**
 - *Additional Information for RA # 1479-15 501 Franklin Cambridge_22Jul19.*

"Risk Management Measures" and "RMMs" means the risk management measures specific to the Property described in the Risk Assessment and/or Part 4 of the CPU;

"Risk Management Plan" and "RMP" means the risk management plan detailed in Section 7.0 of the Risk Assessment; and,

"Tribunal" has the same meaning as in the Act; namely, the Environmental Review Tribunal.

Part 2: Legal Authority

- 2.1 Section 19 of the Act states that a certificate of property use is binding on the executor, administrator, administrator with the will annexed, guardian of property or attorney for property of the person to whom it was directed, and on any other successor or assignee of the person to whom it was directed.
- 2.2 Subsection 132(1.1) of the Act states that the Director may include in a certificate of property use a requirement that the person to whom the certificate is issued provide financial assurance to the Crown in right of Ontario for any one or more of,
 - a. the performance of any action specified in the certificate of property use;
 - b. the provision of alternate water supplies to replace those that the Director has reasonable and probable grounds to believe are or are likely to be contaminated or otherwise interfered with by a contaminant on, in or under the property to which the certificate of property use relates; and
 - c. measures appropriate to prevent adverse effects in respect of the property to which the certificate of property use relates.
- 2.3 Subsection 168.6 (1) of the Act states that if the Director accepts a risk assessment relating to a property, he or she may, when giving notice under clause 168.5 (1)(a), issue a certificate of property use to the owner of the property, requiring the owner to do any of the following things:
 1. Take any action specified in the certificate that, in the Director's opinion, is necessary to prevent, eliminate or ameliorate any adverse effect on the property, including installing any equipment, monitoring any contaminant or recording or reporting information for that purpose.
 2. Refrain from using the property for any use specified in the certificate or from constructing any Building specified in the certificate on the property.
- 2.4 Subsection 168.6(2) of the Act states that a certificate of property use shall not require an owner of the property to take any action that would have the effect of reducing the concentration of a contaminant on, in or under the property to a level below the level that is required to meet the standards specified for the contaminant in the risk assessment.
- 2.5 Subsection 168.6(3) of the Act states that the Director may, on his or her own initiative or on application by the owner of the property in respect of which a certificate has been issued under subsection 168.6(1),
 - a. alter any terms and conditions in the certificate or impose new terms and conditions; or
 - b. revoke the certificate.
- 2.6 Subsection 168.6(4) of the Act states that if a certificate of property use contains a provision requiring the owner of the property to refrain from using the property for a specified use or from constructing a specified Building on the property,
 - a. the owner of the property shall ensure that a copy of the provision is given to every occupant of the property;
 - b. the provision applies, with necessary modifications, to every occupant of the property who receives a copy of the provision; and
 - c. the owner of the property shall ensure that every occupant of the property complies with the provision.
- 2.7 Subsection 197(1) of the Act states that a person who has authority under the Act to make an order or decision affecting real property also has authority to make an order requiring any person with an interest in the property, before dealing with the property in any way, to give a copy of the order or decision affecting the property to every person who will acquire an interest in the property as a result of the dealing.
- 2.8 Subsection 197(2) of the Act states that a certificate setting out a requirement imposed under subsection 197(1) may be registered in the proper land registry office on the title of the real property to which the requirement relates, if the certificate is in a form approved by the Minister, is signed or authorized by a

person who has authority to make orders imposing requirements under subsection 197(1) and is accompanied by a registrable description of the property.

- 2.9 Subsection 197(3) of the Act states that a requirement, imposed under subsection 197(1) that is set out in a certificate registered under subsection 197(2) is, from the time of registration, deemed to be directed to each person who subsequently acquires an interest in the real property.
- 2.10 Subsection 197(4) of the Act states that a dealing with real property by a person who is subject to a requirement imposed under subsection 197(1) or 197(3) is voidable at the instance of a person who was not given the copy of the order or decision in accordance with the requirement.

Part 3: Background

- 3.1 The Risk Assessment (RA) was undertaken for the Property to establish the risks that the Contaminants identified in the RA may pose to future users and to identify appropriate Risk Management Measures (RMMs) to be implemented to ensure that the Property is suitable for the intended use: **industrial and/or commercial use** as defined in O. Reg. 153/04.
- 3.2 The Contaminants on, in, or under the Property that are present either above **Table 2: Full Depth Generic Site Condition Standards in a Potable Ground Water Condition (coarse textured soils)** for Use under Part XV.1 of the Act published by the Ministry and dated April 15, 2011 or for which there are no such standards, are set out in the RA (Contaminants of Concern). The Property Specific Standards for these Contaminants of Concern are set out in **Table 1A and Table 1B of Schedule 'A'** which is attached to and forms part of the CPU.
- 3.3 I am of the opinion, for the reasons set out in the RA that the RMMs described therein and outlined in Part 4 of the CPU are necessary to prevent, eliminate or ameliorate an Adverse Effect on the Property that has been identified in the RA.
- 3.4 The RA indicates the presence of Contaminants of Concern in soil and groundwater which requires on-going restriction of land use and pathway elimination. As such, it is necessary to restrict the use of the Property and impose Building restrictions and implement RMMs as set out in the RA and in Part 4 of the CPU.
- 3.5 I believe for the reasons set out in the RA that it is also advisable to require the disclosure of this CPU and the registration of notice of the CPU on title to the Property as set out in section 197 order requirements in Section 4.6, Section 4.8 and Section 4.9 of this CPU.

Part 4: Director Requirements

Pursuant to the authority vested in me under subsection 168.6(1) of the Act, I hereby require the Owner to do or cause to be done the following:

Risk Management Measures

- 4.1 Implement, and thereafter maintain or cause to be maintained, the Risk Management Measures.
- 4.2 Without restricting the generality of the foregoing in Section 4.1, carry out or cause to be carried out the following key elements of the RMMs:

Existing Building:

- a) The Owner shall maintain the existing Building's configuration. Changes to the existing Building's configuration is prohibited for as long as the COCs in soil and groundwater remain on the Property at concentrations above the Applicable Site Condition Standards (ASCS).

- b) The Owner shall inspect and maintain the existing Building's Heating, Ventilation and Air Conditioning (HVAC) settings at the locations as specified in Schedule 'A': Figure 2: HVAC Unit Service Areas (**Figure 2**). The fresh air intake for the HVAC settings for the existing Building must be maintained at approximately 5%, at minimum, of make-up/fresh air year-round for as long as the COCs in soil and groundwater remain on the Property at concentrations above the ASCS. The inspection and maintenance program shall be implemented as detailed in Section 7.1.7.2 of the RMP and include the following key components:
- i. Be completed semi-annually (spring and fall) by a licensed HVAC contractor;
 - ii. Ensure the maintenance of the existing ratio of make-up air/fresh air to recirculated air (i.e. 1:19) in areas identified as Air Area 1 (south offices), Air Area 3 (north warehouse), Air Area 4 (north offices) and Air Area 6 (north mezzanine) in **Figure 2**.
 - iii. Any identified deficiencies in the functioning of any HVAC unit shall be repaired as soon as possible. If the deficiencies cannot be addressed in a timely manner, contingency measures shall be implemented to ensure the existing ratio of make-up air/fresh air to recirculated air is maintained at 1:19; and,
 - iv. Record keeping. All inspections shall be documented in a log book, including the documentation of all maintenance and/or repairs performed, periods of prolonged shut-down along with the implementation of any contingency measures, as may be required, to maintain the ratio of make-up air/fresh air to recirculated air at 1:19. The records shall be maintained by the Owner and make them available for review by the Ministry upon request.
- c) The Owner shall inspect and maintain the condition of the existing Building's floor slab for as long as the COCs in soil and groundwater remain on the Property above the ASCS. The inspection and maintenance program shall include semi-annual (spring and fall) inspections of the Building's floor slab in accordance with the inspection and maintenance program as detailed in Section 7.1.7.1 of the RMP. Any identified deficiencies shall be repaired within a reasonable period of time. If cracks, breeches or any loss of integrity of the Building's floor slab cannot be repaired or addressed in a timely manner, contingency measures shall be implemented to ensure no exposure to the COCs that have been observed on the Property. The restoration of any damaged portions of the Building's floor slab shall meet the original design specifications, at minimum. The Owner shall submit to the Director written confirmation prepared and signed by a qualified Licensed Professional Engineer that the Building's floor slab has been repaired in accordance with the applicable requirements of this CPU. The written confirmation shall also include a description of any contingency measures put in place and shall be submitted to the Director within 30 days of the completion of any barrier repairs and/or restorations. The Owner shall keep records of the inspections and maintenance and make them available for review by the Ministry upon request.

Restrictions on any New Enclosed Building(s):

- d) The construction of any **new Building (s)** on, in or under the Property is prohibited with the following exceptions:
- i. a soil vapour intrusion assessment is completed in accordance with Section 7.1.3 of the RMP and Section 4.2 (e) and (f) of this CPU, in which the Owner has received written approval of the final report specified in Section 4.2 (f) of this CPU from the Director, that documents soil vapour concentrations are below the Target Soil Vapour concentrations identified in Table 1D of Schedule 'A' (**Table 1D**); and,
 - ii. upon the Owner receiving written approval from the Director, the new **Building(s)** is constructed with a slab-on-grade foundation. The construction of any new **Building(s)** with a below grade structure (i.e. basement) is prohibited for as long as the COCs in soil and groundwater remain on the Property at concentrations above the ASCS.
- e) Prior to the implementation of a soil vapour intrusion assessment identified in Section 4.2 (d)(i) above, the Owner shall submit to the Director, for review and approval, a DRAFT soil vapour intrusion assessment plan prepared by a Qualified Person in accordance Section 7.1.3 of the RMP. Specifically, the soil vapour intrusion assessment shall include, but not be limited to, the following key components:

- i. be overseen by a Qualified Person;
 - ii. include the area of the proposed building footprint (s) plus the area within 30 m of the proposed building foot print (s);
 - iii. the completion of a minimum of two rounds of consecutive soil vapour sampling separated by a minimum of a 3-month time period with one round being required to be completed under winter-like conditions (i.e. under frozen ground conditions);
 - iv. the number, location and installation depths of the soil vapour probes to be installed. A detailed rationale must be provided that clearly indicates that sufficient data will be collected to support the future building scenario (i.e. design/type of Building to be constructed must be known and taken into consideration in preparing the plan); and,
 - v. any other work as deemed necessary by the Qualified Person.
- f) Upon receiving written approval from the Director, the Owner shall implement the soil vapour intrusion assessment prepared in accordance with Section 4.2 (e) of this CPU. Within 90 calendar days of the completion of the soil vapour intrusion assessment, the Owner shall submit a final report for approval of the Director, prepared by a Qualified Person, documenting the completion of the soil vapour intrusion assessment. The final report shall include, but not be limited to, the following key components:
 - i. Soil vapour probe installation details, locations and logs;
 - ii. Laboratory results and laboratory certificates of analysis;
 - iii. All field logs, leak testing results and documentation of QA/QC;
 - iv. Discussion and interpretation of the results in comparison to the respective Target Soil Vapour Concentration as listed in **Table 1D**; and,
 - v. Conclusions and recommendations with respect to the need for additional and/or continued monitoring as may be warranted along with conclusions and recommendations with regards to the need for the installation of a vapour mitigation system as specified in Section 7.1.3 of the RMP and Section 4.2 (g) of this CPU.
- g) In the event that any new slab on grade **Building (s)** that is to be constructed on the Property requires a vapour mitigation system as a result of the completion of the soil vapour intrusion assessment as specified in Section 4.2 (f), and approved by the Director, the vapour mitigation system shall be designed by an appropriately qualified Licensed Professional Engineer in consultation with a Qualified Person in accordance with Section 7.1.3 of the RMP and shall also include the following key components:
 - i. The Owner shall obtain an Environmental Compliance Approval, as necessary, and any other permits or approvals as may be required;
 - ii. The installation of the vapour mitigation system shall be completed under the supervision of a qualified Licensed Professional Engineer and a Qualified Person;
 - iii. In the event that a passive vapour mitigation system design has been selected, the passive system shall be designed and installed such that it can easily be converted to an active system; and,
 - iv. A quality assurance/quality control (QA/QC) program shall be undertaken during the installation of the vapour mitigation system and shall be completed by, and clearly documented in a report prepared by, a qualified contractor and overseen by a qualified Licensed Professional Engineer and Qualified Person.
- h) Within 90 calendar days of the installation of the vapour mitigation system as detailed in Section 7.1.3 of the RMP and Section 4.2 (g) of this CPU, in any new slab on grade **Building (s)** on the Property, the Owner shall submit to the Director as-built drawings and detailed design specifications of the vapour mitigation system, including any verification and QA/QC reports, prepared by the qualified Licensed Professional Engineer along with a statement from the qualified Licensed Professional Engineer that the

vapour mitigation system has been installed in accordance with the original design specifications and that it has been designed to meet the requirements and objectives of Section 7.1.3 of the RMP and Section 4.2 (g) of this CPU.

- i) The vapour mitigation system detailed in Section 7.1.3 of the RMP and Section 4.2 (g) shall be operated, monitored and maintained by the Owner for as long as the COCs are present on the Property at concentrations that exceed the ASCS. The qualified Licensed Professional Engineer that designed the vapour mitigation system shall prepare an operation, inspection, monitoring, and maintenance program, including a contingency plan, that is to be implemented by the Owner, prior to first occupancy, and shall be made available by the Owner to the Ministry upon request.
- j) An inspection, monitoring and maintenance program specified in Section 4.2 (i) of this CPU shall be implemented to ensure the continued integrity of the building floor slab and vapour mitigation system for as long as the COCs are present on the Property at concentrations that exceed the ASCS. The inspection program will be conducted semi-annually for the first year and annually thereafter. The inspection program shall include, at minimum, inspections of the integrity of the building floor slab and monitoring of the vapour mitigation system in accordance with the monitoring and maintenance program specified in Section 4.2 (i) of this CPU. Any cracks, breaches or loss of integrity observed in the building floor slab or any observed deficiencies or necessary maintenance requirements with the vapour mitigation system shall be repaired forthwith to the original design specification, at minimum. Repairs or maintenance shall be made by an appropriately qualified contractor, under the supervision of a qualified Licensed Professional Engineer as necessary. If repairs to the building floor slab or the vapour mitigation system cannot be completed in a timely manner, the Owner shall ensure that the contingency measures prepared by a qualified Professional Engineer, as specified in Section 4.2 (i) of this CPU, are implemented. All repairs are to be inspected by a qualified Licensed Professional Engineer and signed documentation shall be provided to the Owner that states that the repairs meet the original design specifications, at minimum. The Owner shall submit to the Director the written confirmation, prepared and signed by a qualified Licensed Professional Engineer, that the vapour mitigation system has been repaired to meet the original design specifications, at minimum. The written confirmation shall also include a description of any contingency measures that were put in place and shall be submitted to the Director within 30 calendar days of the completion of any repairs to the vapour mitigation system. The Owner shall keep records of the inspections, monitoring and maintenance program, along with documentation of all repairs that were required to be undertaken and these records shall be made available by the Owner to the Ministry for review upon request.
- k) The Owner shall ensure that all individuals/contractors intending to undertake work which could potentially come into contact with or interfere with the vapour mitigation system specified in Section 4.2 (g) of this CPU are made aware of the presence of the vapour mitigation system and the need to take appropriate precautions to ensure the integrity of the vapour mitigation system at all times. If the vapour mitigation system is damaged at any time, the Owner shall ensure that it is repaired forthwith by a qualified contractor, under the supervision of a qualified Licensed Professional Engineer as necessary, to the original design specifications, at minimum. If repairs to the vapour mitigation system cannot be completed in a timely manner, the Owner shall ensure that the contingency measures prepared by a qualified Professional Engineer, as specified in Section 4.2 (i) of this CPU are implemented. All repairs to the vapour mitigation system are to be inspected by a qualified Licensed Professional Engineer and signed documentation shall be provided to the Owner that states that the repairs meet the original design specifications, at minimum. The Owner shall submit to the Director the written confirmation, prepared and signed by a qualified Licensed Professional Engineer, that the vapour mitigation system has been repaired to meet the original design specifications, at minimum. The written confirmation shall also include a description of any contingency measures that were put in place and shall be submitted to the Director within 30 calendar days of the completion of any repairs to the vapour mitigation system. The Owner shall maintain records of all activities and repairs in relation to the vapour mitigation system and these records shall be made available by the Owner to the Ministry for review upon request.
- l) Once the final design of the vapour mitigation system is completed as specified in Section 7.1.3 of the RMP and Section 4.2 (g), the Owner shall submit to the Director, for review and approval, an indoor air

performance monitoring program. The indoor air performance monitoring program shall be prepared by a qualified Licensed Professional Engineer in consultation with an appropriately Qualified Person in accordance with 7.1.7.4 of the RMP. Specifically, the indoor air performance monitoring program shall include the following key components:

- i. Be overseen by a qualified Licensed Professional Engineer;
- ii. The collection of indoor air samples from an appropriate number of representative locations, including QA/QC samples, that is adequate for the size and configuration of any new slab on grade **Building(s)** and as determined by the qualified Licensed Professional Engineer at the following frequency (at minimum):
 - a. Prior to first occupancy;
 - b. Semi-annually (summer and winter) for a minimum two years, and, until written approval to discontinue the indoor air performance monitoring program by the Director is received by the Owner.
- iii. The indoor air samples shall be sent to an accredited laboratory and analyzed for the Indoor Air Target Analytes listed in Schedule 'A': Table 1 C - Target Soil Vapour and Indoor Air Concentrations (**Table 1C**).
- iv. An annual report documenting the indoor air performance monitoring program shall be prepared by a qualified Licensed Professional Engineer and submitted to the Director on or before **March 31st** following each year of monitoring until written approval to discontinue the program is received by the Owner from the Director. The annual report shall include, but not be limited to:
 - (a) Laboratory results and laboratory certificates of analysis;
 - (b) Field logs and documentation of QA/QC;
 - (c) Discussion and interpretation of the results in comparison to the respective Target Indoor Air Concentration as listed in **Table 1C**; and,
 - (d) Conclusions and recommendations with respect to the need for additional and/or continued monitoring as may be warranted.
- m) Upon completion of the installation of the vapour mitigation system as specified in Section 4.2 (g) of this CPU, and prior to first occupancy, the Owner shall implement the indoor air performance monitoring program, that has been approved in writing by the Director, as required by Section 4.2 (l) of this CPU for a minimum of two years and until the Owner receives written approval from the Director to discontinue the program. Any changes to the indoor air performance monitoring program as required by Section 4.2 (l) of this CPU, (i.e. sampling frequency, locations, methodology etc.) must be requested in writing by a qualified Licensed Professional Engineer and these changes shall only be implemented upon the Owner receiving written approval from the Director.
- n) In the event that the indoor air performance monitoring program detailed in Section 4.2 (l) of this CPU identifies one or more of the Target Analytes at concentrations above the Target Indoor Air in **Table 1C**, respectively, *and where the concentrations of the observed Target Analytes are determined by the qualified Licensed Professional Engineer to be a result of soil vapour intrusion*, the Owner shall implement the contingency measures detailed in Section 7.1.7.5 of the RMP and as follows:
 - i. Written notice shall be submitted to the Director by the Owner within 14 calendar days of the Owner's receipt of the laboratory analysis. This written notice shall include the indoor air sampling results, the laboratory certificates of analysis and the anticipated timeline for the implementation of the confirmatory sampling program along with any additional work as may be deemed necessary by a qualified Licensed Professional Engineer. Confirmatory sampling shall occur within 14 calendar days from the date of the Owner's receipt of the laboratory analysis and be completed by a qualified Licensed Professional Engineer.
 - ii. In the event that the confirmatory indoor air sampling verifies the exceedances of one or more of the Target Analytes concentrations above the Target Indoor Air Concentration in **Table 1C**, the Owner shall:
 - (a) Submit written notice to the Director within 14 calendar days of the Owner's receipt of the laboratory analysis. This written notice shall include the confirmatory indoor air

results, the laboratory certificates of analysis and the details of, and the anticipated timeline to implement contingency measures consistent with Section 7.1.7.5 of the RMP along with the implementation of further evaluation/assessment of the vapour mitigation system as may be deemed necessary by a qualified Licensed Professional Engineer. The implementation of contingency measures, along with the implementation of a confirmatory indoor air sampling program shall occur within 14 calendar days of the Owner's submission of the written notice of the exceedance to the Director;

- (b) Within 30 calendar days of the implementation of the contingency plan, the Owner shall submit to the Director an update report prepared by a qualified Licensed Professional Engineer documenting the implementation of contingency measures, results of the implementation of the confirmatory indoor air sampling program along with the details and timelines for the implementation of performance indoor air monitoring program. The update report shall include, but not be limited to:
 - i. Laboratory results and laboratory certificates of analysis;
 - ii. Field logs and documentation of QA/QC;
 - iii. Discussion and interpretation of the results in comparison to the respective Target Indoor Air Concentrations as listed in **Table 1C**; and,
 - iv. Conclusions and recommendations with respect to the performance of the vapour mitigation system along with the need for additional work and/or continued monitoring as may be deemed warranted.

Confirmatory Indoor Air Monitoring Program for Existing Building:

- o) Upon issuance of this CPU, the Owner shall implement a confirmatory indoor air monitoring program in accordance with Section 7.1.7.4 of the RMP. Specifically, the confirmatory indoor air monitoring program for the existing Building shall include, but not be limited to, the following key components:
 - i. Be overseen by a qualified Licensed Professional Engineer;
 - ii. The collection of indoor air samples from an appropriate number of representative locations, including QA/QC samples, as determined by the qualified Licensed Professional Engineer semi-annually (summer and winter) for a minimum two years, and, until written approval to discontinue the indoor air performance monitoring program by the Director is received by the Owner.
 - iii. The indoor air samples shall be sent to an accredited laboratory and analyzed for the Indoor Air Target Analytes listed in Schedule 'A': Table 1 C - Target Soil Vapour and Indoor Air Concentrations (**Table 1C**).
 - iv. An annual report documenting the indoor air performance monitoring program shall be prepared by a qualified Licensed Professional Engineer and submitted to the Director on or before **March 31st** following each year of monitoring until written approval to discontinue the program is received by the Owner from the Director. The annual report shall include, but not be limited to:
 - (a) Laboratory results and laboratory certificates of analysis;
 - (b) Field logs and documentation of QA/QC;
 - (c) Discussion and interpretation of the results in comparison to the respective Target Indoor Air Concentration as listed in **Table 1C**; and,
 - (d) Conclusions and recommendations with respect to the need for additional and/or continued monitoring as may be warranted.
- p) In the event that the confirmatory indoor air monitoring program detailed in Section 4.2 (o) of this CPU identifies one or more of the Target Analytes at concentrations above the Target Indoor Air in **Table 1C**, respectively, *and where the concentrations of the observed Target Analytes are determined by the qualified Licensed Professional Engineer to be a result of soil vapour intrusion*, the Owner shall implement the contingency measures detailed in Section 7.1.7.5 of the RMP and as follows:
 - i. Written notice shall be submitted to the Director by the Owner within 14 calendar days of the Owner's receipt of the laboratory analysis. This written notice shall include the indoor air sampling results, the laboratory certificates of analysis and the anticipated timeline for the implementation of the confirmatory sampling program along with any additional work as may be deemed necessary by a

qualified Licensed Professional Engineer. Confirmatory sampling shall occur within 14 calendar days from the date of the Owner's receipt of the laboratory analysis and be completed by a qualified Licensed Professional Engineer.

- ii. In the event that the confirmatory indoor air sampling verifies the exceedances of one or more of the Target Analytes concentrations above the Target Indoor Air Concentration in **Table 1C**, the Owner shall:
 - (a) Submit written notice to the Director within 14 calendar days of the Owner's receipt of the laboratory analysis. This written notice shall include the confirmatory indoor air results, the laboratory certificates of analysis and the details of, and the anticipated timeline to implement contingency measures consistent with Section 7.1.7.5 of the RMP along with the implementation of further evaluation/assessment of the existing building's floor slab/existing HVAC units as may be deemed necessary by a qualified Licensed Professional Engineer. The implementation of contingency measures, along with the implementation of a confirmatory indoor air sampling program shall occur within 14 calendar days of the Owner's submission of the written notice of the exceedance to the Director;
 - (b) Within 30 calendar days of the implementation of the contingency plan, the Owner shall submit to the Director an update report prepared by a qualified Licensed Professional Engineer documenting the implementation of contingency measures, results of the implementation of the confirmatory indoor air sampling program along with the details and timelines for the implementation of a performance indoor air monitoring program. The update report shall include, but not be limited to:
 - i. Laboratory results and laboratory certificates of analysis;
 - ii. Field logs and documentation of QA/QC;
 - iii. Discussion and interpretation of the results in comparison to the respective Target Indoor Air Concentrations as listed in **Table 1C**; and,
 - iv. Conclusions and recommendations with respect to the performance of the vapour mitigation system along with the need for additional work and/or continued monitoring as may be deemed warranted.

Soil and Groundwater Management Plan:

- q) The property specific soil and groundwater management Plan (Plan) shall be developed for the Property and implemented during all intrusive activities potentially in contact with or exposing COCs in soil or groundwater on the Property as detailed in Section 7.1.4 of the RMP. A copy of the Plan shall be maintained on the Property for the duration of all planned intrusive activities. Any short-term intrusive activities required for the purposes of emergency repairs (i.e. for repairs to underground utilities etc.) will not require the submission of the Plan prior to undertaking the short-term emergency repairs. For planned intrusive activities, this Plan shall be submitted to the Director by the Owner at least 14 calendar days prior to any such intrusive activities being undertaken and shall be consistent with the measures specified in Section 7.1.4 of the RMP. The Plan shall include, but not be limited to, the following key components as deemed necessary by a Qualified Person:
 - (i) oversight by a Qualified Person;
 - (ii) include dust control measures and prevention of soils tracking by vehicles and personnel from the Property;
 - (iii) management of excavated soils including cleaning equipment, placement of materials for stockpiling on designated areas lined and covered with polyethylene sheeting, bermed and fenced to prevent access, runoff control to minimize contact and provisions for discharge to sanitary sewers or other approved treatment;

- (iv) storm water management measures to control the potential transport of COCs off-site during on-site construction/redevelopment activities. This shall include, but to not be limited to, silt fences and filter socks on catch-basins and utility covers as necessary;
- (v) characterization of excavated excess soils to determine if the excavated excess soils exceed the Property Specific Standards listed in Table 1A of Schedule “A” attached to this CPU (Table 1A) and/or the Applicable Site Condition Standards for parameters other than those identified in Table 1A and require off-site disposal in accordance with the provisions of Ontario Regulation 347, as amended, made under the Act;
- (vi) characterization and management of groundwater as a result of dewatering activities. This shall include the management of and proper characterization of groundwater prior to and during any dewatering activities to ensure proper disposal of the groundwater in accordance with all applicable acts, regulations, permits and approvals;
- (vii) record keeping. Record keeping is to include, but not to be limited to, dates and duration of work, weather and site conditions, location and depth of excavation activities/dewatering activities, dust control measures, stockpile management and drainage, all soil and groundwater characterization results obtained as part of the soil and groundwater management plan, names of the Qualified Persons, contractors, haulers and receiving sites for any excavated excess soils, and groundwater, as a result of dewatering activities, removed from the property and any complaints received relating to site activities; and,
- (viii) copy of the Plan and any amendments and the records kept thereunder shall be made available for review by the Ministry upon request.

Health and Safety Plan:

- r) A property specific health and safety plan (plan) shall be developed for the Property and implemented during all planned intrusive activities undertaken potentially in contact with COCs in soil and groundwater that have been identified in the RA at concentrations that exceed the ASCS for both soil and groundwater as detailed in Section 7.1.5 of the RMP. A copy of the plan shall be maintained on the Property for the duration of all intrusive activities. The Owner shall ensure that the plan takes into account the presence of the COCs and is implemented prior to any intrusive activities being undertaken on the Property or portion (s) of the Property in order to protect workers from exposure to the COCs. The plan shall be prepared in accordance with applicable Ministry of Labour health and safety regulations, along with all potential risks identified in the RA and include, but not limited to, occupational hygiene requirements, personal protective equipment, contingency plans and contact information. Prior to initiation of any Project (on the Property or portion (s) of the Property), the local Ministry of Labour office shall be notified, where so prescribed under the OHSA, of the proposed activities and that COCs have been identified in soils and or groundwater on the Property. The plan shall be overseen by a Competent Person to review the provisions of the plan with respect to the proposed site work and conduct daily inspections. The Owner shall retain a copy of the plan to be available for review by the Ministry upon request.

Groundwater Monitoring Program:

- s) Upon issuance of this CPU, the Owner shall implement a groundwater monitoring program in accordance with Section 7.1.7.3 of the RMP. Specifically, the groundwater monitoring program shall include, but not be limited to, the following key components:
 - i. Be overseen by a Qualified Person;

- ii. Consist of the measurement of groundwater levels and the collection of groundwater samples from the groundwater monitoring network as specified in Section 7.1.7.3 of the RMP and Schedule 'A': Figure 3: Groundwater Monitoring Network On-Site (**Figure 3**), Schedule 'A': Figure 4: Groundwater Monitoring Network Off-Site (**Figure 4**) Schedule 'A': Table 1D - Groundwater Monitoring Well Network (**Table 1D**) of this CPU , or suitable replacement (s) as deemed appropriate by a Qualified Person and approved by the Director;
- iii. The measurement of groundwater levels and the collection of groundwater samples shall occur semi-annually (i.e. summer and winter) thereafter for a minimum of 2 years and until written approval to discontinue the monitoring program is received by the Owner from the Director;
- iv. Groundwater samples shall be sent to a Certified Laboratory and analyzed for the chlorinated volatile organic compounds (cVOCs) in groundwater. Specifically, the groundwater samples shall be analyzed for Trichloroethylene, 1,1-Dichloroethylene, 1,1-Dichlorethane, 1,1,1-Trichloroethane, 1,1,2-Trichloroethane and Vinyl Chloride;
- v. An annual report detailing the water level measurements and sampling results for each location (including appropriate maps and figures) along with an evaluation of the temporal trends in groundwater quality, groundwater flow directions and an assessment of the potential for off-property migration of impacted groundwater and the potential for adverse effect off site along with recommendations in regards to the need for additional investigative work both on and off site and/or additional monitoring as may be deemed necessary by the Qualified Person shall be submitted to the Director on or before **March 31st** following each year of monitoring until written approval to discontinue the program from the Director is received by the Owner;
- vi. Any changes to the groundwater monitoring program as specified in Section 7.1.7.3 of the RMP must be requested in writing by the Qualified Person and these changes shall only be implemented by the Owner upon receiving approval from the Director.

Prohibition of potable groundwater wells:

4.3 The Owner shall,

- i. refrain from using groundwater in or under the Property as a source of water;
- ii. properly abandon any wells on the Property, as defined in section 35. (1) of O. Reg. 153/04, according to R.R.O. 1990, Regulation 903 (Wells), made under the OWRA; and
- iii. refrain from constructing on the Property any wells as defined in section 35. (1) of O. Reg. 153/04.

Site Changes

4.4 In the event of a change in the physical site conditions or receptor characteristics at the Property that may affect the RMMs and/or any underlying basis for the RMMs, forthwith notify the Director of such changes and the steps taken, to implement, maintain and operate any further RMMs as are necessary to prevent, eliminate or ameliorate any Adverse Effect that will result from the presence on, in or under the Property or the discharge of any Contaminant of Concern into the natural environment from the Property. An amendment to the CPU will be issued to address the changes set out in the notice received and any further changes that the Director considers necessary in the circumstances.

Reports

4.5 The Owner shall retain a copy of any reports required under the CPU, the Risk Assessment and any reports referred to in the Risk Assessment (until otherwise notified by the Director) and within ten (10) days of the Director or a Provincial Officer making a request for a report, provide a copy to the Director or Provincial Officer.

Property Requirement

4.6 For the reasons set out in the CPU and pursuant to the authority vested in me under subsection 197(1) of the Act, I hereby order you and any other person with an interest in the Property, before dealing with the Property in any way, to give a copy of the CPU, including any amendments thereto, to every person who will acquire an interest in the Property, as a result of the dealing.

Certificate of Requirement

4.7 Within fifteen (15) calendar days from the date of receipt of a certificate of requirement, issued under subsection 197(2) of the Act, completed as outlined in Schedule 'B', register the certificate of requirement on title to the Property in the appropriate land registry office.

4.8 Within five (5) calendar days after registering of the certificate of requirement, provide to the Director a copy of the registered certificate and of the parcel register (s) for the Property confirming that the certificate of requirement has been registered on title to the Property.

Owner Change

4.9 While the CPU is in effect, forthwith report in writing to the Director any changes of ownership, of the Property, except that while the Property is registered under the *Condominium Act, 1998*, S.O. 1998, c.19, no notice shall be given of changes in the ownership of individual condominium units or any related common elements on the Property.

Financial Assurance

4.10 The Director has not included in the CPU a requirement that the Owner provide financial assurance to the Crown in right of Ontario.

Part 5: General

5.1 The requirements of the CPU are severable. If any requirement of the CPU or the application of any requirement to any circumstance is held invalid, such finding does not invalidate or render unenforceable the requirement in other circumstances nor does it invalidate or render unenforceable the other requirements of the CPU.

5.2 An application under sub section 168.6(3) of the Act to,
a) alter any terms and conditions in the CPU or impose new terms and conditions; or
b) revoke the CPU;
shall be made in writing to the Director, with reasons for the request.

5.3 The Director may amend the CPU under subsections 132(2) or (3) of the Act to change a requirement as to financial assurance, including that the financial assurance may be increased or provided, reduced or released in stages. The total financial assurance required may be reduced from time to time or released by an order issued by the Director under section 134 of the Act upon request and submission of such supporting documentation as required by the Director.

5.4 Subsection 186(3) of the Act provides that failure to comply with a requirement of the CPU constitutes an offence.

5.5 The requirements of the CPU are minimum requirements only and do not relieve you from,
a) complying with any other applicable order, statute, regulation, municipal, provincial or federal law;
or
b) obtaining any approvals or consents not specified in the CPU.

- 5.6 Notwithstanding the issuance of the CPU, further requirements may be imposed in accordance with legislation as circumstances require.
- 5.7 In the event that any person is, in the opinion of the Director, rendered unable to comply with any requirements in the CPU because of,
- a) natural phenomena of an inevitable or irresistible nature, or insurrections,
 - b) strikes, lockouts or other labour disturbances,
 - c) inability to obtain materials or equipment for reasons beyond your control, or
 - d) any other cause whether similar to or different from the foregoing beyond your control,

the requirements shall be adjusted in a manner defined by the Director. To obtain such an adjustment, the Director must be notified immediately of any of the above occurrences, providing details that demonstrate that no practical alternatives are feasible in order to meet the requirements in question.

- 5.8 Failure to comply with a requirement of the CPU by the date specified does not relieve the Owner(s) from compliance with the requirement. The obligation to complete the requirement shall continue each day thereafter.
- 5.9 In the event that the Owner complies with provisions of Sections 4.7 and 4.8 of the CPU regarding the registration of the certificate of requirement on title to the Property, and then creates a condominium corporation by the registration of a declaration and description with respect to the Property pursuant to the *Condominium Act, 1998*, S.O. 1998, c.19, and then transfers ownership of the Property to various condominium unit owners, the ongoing obligations of the Owner under this CPU may be carried out and satisfied by the condominium corporation by and on behalf of the new Owners of the Property.

Part 6: Hearing before the Environmental Review Tribunal

- 6.1 Pursuant to section 139 of the Act, you may require a hearing before the Environmental Review Tribunal (the "Tribunal"), if within fifteen (15) days after service on you of a copy of the CPU, you serve written notice upon the Director and the Tribunal.
- 6.2 Pursuant to section 142 of the Act, the notice requiring the hearing must include a statement of the portions of the CPU and the grounds on which you intend to rely at the hearing. Except by leave of the Tribunal, you are not entitled to appeal a portion of the CPU or to rely on a ground that is not stated in the notice requiring the hearing.
- 6.3 Service of a notice requiring a hearing must be carried out in a manner set out in section 182 of the Act and O. Reg. 227/07: Service of Documents, made under the Act as they may be amended from time to time. The address, email address and fax numbers of the Director and the Tribunal are:

The Secretary

Environmental Review Tribunal

655 Bay Street, Suite 1500
Toronto, ON, M5G 1E5

Fax: (416) 326-5370
Fax Toll Free: 1(844) 213-3474
Email: ERTTribunalSecretary@ontario.ca

and

Amy Shaw, Director

Ministry of the Environment, Conservation and Parks
1 Stone Rd. West, 4th Floor
Guelph, ON
N1G 4Y2

Fax: 519-826-4286
Email: amy.shaw@ontario.ca

- 6.4 Unless stayed by application to the Tribunal under section 143 of the Act, the CPU is effective from the date of issue.
- 6.5 If you commence an appeal before the Tribunal, under section 47 of the EBR, you must give notice to the public in the Environmental Registry of Ontario (“ERO”). The notice must include a brief description of the CPU (sufficient to identify it) and a brief description of the grounds of appeal.
- The notice must be delivered to the Minister of the Environment, Conservation and Parks (Ministry) who will place it on the ERO. The notice must be delivered to the Minister at 777 Bay Street, 5th Floor, Toronto, Ontario M7A 2J3 by the earlier of:
- 6.5.1 two (2) days after the day on which the appeal before the Tribunal was commenced; and
 - 6.5.2 fifteen (15) days after service on you of a copy of the CPU.
- 6.6 Pursuant to subsection 47(7) of the EBR, the Tribunal may permit any person to participate in the appeal, as a party or otherwise, in order to provide fair and adequate representation of the private and public interests, including governmental interests, involved in the appeal.
- 6.7 For your information, under section 38 of the EBR, any person resident in Ontario with an interest in the CPU may seek leave to appeal the CPU. Under section 40 of the EBR, the application for leave to appeal must be made to the Tribunal by the earlier of:
- 6.7.1 fifteen (15) days after the day on which notice of the issuance of the CPU is given in the ERO;
- and
- 6.7.2 if you appeal, fifteen (15) days after the day on which your notice of appeal is given in the ERO.


Further information on the requirements of the Tribunal regarding an appeal can be obtained directly from the Tribunal at:

Tel: (416) 212-6349, Fax: (416) 326-5371, www.elto.gov.on.ca


Issued at Guelph this **24** day of **July, 2020**.

Amy Shaw,
Director, section 168.6 of the Act


Schedule 'A': Figure 1- Site Plan (not to scale)



**Schedule 'A': Figure 3- Groundwater Monitoring Network On-Site
(not to scale)**



**Schedule 'A': Figure 4 - Groundwater Monitoring Network Off-Site
(not to scale)**



Schedule 'A': Table 1A - Property Specific Standards (PSS) - Soil

<i>Soil Contaminant of Concern (COC)</i>	<i>PSS (µg/g)</i>
Dichloroethylene, 1,1-	0.3
Trichloroethane, 1,1,1-	32.4
Tetrachloroethylene	4.08

Schedule 'A': Table 1B - Property Specific Standards (PSS) - Groundwater

<i>Groundwater Contaminant of Concern (COC)</i>	<i>PSS (µg/L)</i>
Vinyl chloride	6.94
Dichloroethylene, 1,1-	64.8
Dichloroethane, 1,1-	60
Trichloroethane, 1,1,1-	1164
Carbon Tetrachloride	0.96
Trichloroethylene	6.96
Trichloroethane, 1,1,2-	9.468
Ethylene dibromide	0.48
Dichloropropene, 1,3-	1.44

Schedule 'A': Table 1C - Target Soil Vapour and Indoor Air Concentrations

<i>Target Analyte</i>	<i>Target Soil Vapour Concentrations (µg/m³)</i>	<i>Target Indoor Air Concentrations (µg/m³)</i>
Vinyl Chloride	102	0.406
Dichloroethylene, 1,1-	12,600	50.1
Dichloroethane, 1,1-	29,500	118
Trichloroethane, 1,1,1-	179,000	715
Carbon Tetrachloride	358	1.43
Trichloroethylene	100	0.401
Trichloroethane, 1,1,2-	55.8	0.223
Ethylene Dibromide	1	0.00596
Dichloropropene, 1,3-	224	0.894

Schedule 'A': Table 1D - Groundwater Monitoring Well Network

<i>Stratigraphic Zone</i>	<i>Well ID</i>	<i>Water level Measurements</i>	<i>Groundwater Sampling</i>
On-Site:			
Overburden	MW01A, MW02A, MW03A, MW04A, MW05A, MW09A, MW19A, MW21A, MW22A	Semi-Annually (Summer/Winter)	Semi-Annually (Summer/Winter)
Shallow Bedrock	MW01B, MW02B, MW03B, MW04B, MW05B, MW05C, MW09C	Semi-Annually (Summer/Winter)	Semi-Annually (Summer/Winter)
Off-Site:			
Overburden	MW23S, MW31S, MW36S, MW38S, MW39S	Semi-Annually (Summer/Winter)	Semi-Annually (Summer/Winter)
Shallow Bedrock	MW23D, MW31D, MW36D, MW38D, MW39D	Semi-Annually (Summer/Winter)	Semi-Annually (Summer/Winter)

SCHEDULE 'B'

CERTIFICATE OF REQUIREMENT

s.197(2)

Environmental Protection Act

This is to certify that pursuant to Section 4.6 of Certificate of Property Use number **5600-BMBJWE** issued by Amy Shaw, Director of the Ministry of Environment, Conservation and Parks under subsections 168.6(1) and 197(1) of the Environmental Protection Act, dated **July 24, 2020** being a Certificate of Property Use and order under section 197(1) of the Environmental Protection Act relating to the property municipally known as **501 Franklin Blvd, Cambridge Ontario being all of PIN 03826-0478 (LT) (the "Property")** with respect to a Risk Assessment and Risk Management Measures and other preventive measure requirements

1260868 Ontario Limited

and any other persons having an interest in the Property, are required before dealing with the Property in any way, to give a copy of the Certificate of Property Use, including any amendments thereto, to every person who will acquire an interest in the Property.

Under subsection 197(3) of the Environmental Protection Act, the requirement applies to each person who, subsequent to the registration of this certificate, acquires an interest in the Property.