

**Ministry of the
Environment,
Conservation and Parks**
*Environmental Assessment
and Permissions Division
135 St. Clair Avenue West,
1st Floor
Toronto, ON M4V 1P5
Phone: 416-314-8001
Fax: 416-314-8452*

**Ministère de
l'Environnement, de la
Protection de la nature et
des Parcs**
*Division des évaluations et
des permissions
environnementales
135, avenue St. Clair Ouest
Rez-de-chaussée
Toronto ON, M4V 1P5
Tél: 416-314-8001
Télé: 416-314-8452*



04/01/2022

COTTON INC
2125 Fruitbelt PKY
Niagara Falls, ON
L2J 0A5

Re: Environmental Compliance Approval Amendment to existing ECA Application

Reference Number 1000107479

Dear Sir/Madam,

As indicated in your e-mail dated February 16, 2022, you will not be able to provide all required supporting information at this time. Since we cannot process your proposal without this information, your application is considered withdrawn and the above-noted file is now closed.

The submitted application fee will be refunded shortly in the amount of \$3,300.00 which represents the amount submitted reduced by the non-refundable administrative processing fee of \$200.

If you wish to pursue your original proposal in the future, you will need to submit a new

application complete with all required supporting information and appropriate application fee.

We also emphasize that under section 20.2 of Part II.1 of the Environmental Protection Act, (Act) you are required to obtain an approval under section 20.3 of Part II.1 of the Act before construction, alteration, extension or replacement of any equipment or structure that may emit or from which may be emitted a contaminant into the natural environment.

If you have any questions regarding the above, please contact Alex Baldassi, P. Eng., Senior Air Engineer at (437) 925-5104.

Sincerely,

A handwritten signature in black ink that reads "Denton Miller". The signature is written in a cursive style with a large initial "D".

Denton Miller, P. Eng.
Director

appointed for the purposes of Part II.1 of the Environmental Protection Act
