



Ministry of the Environment, Conservation and Parks

Ministère de l'Environnement, de la Protection de la nature et des Parcs

Certificate of Property Use

Issued under the authority of the Environmental Protection Act, R.S.O. 1990, c. E.19, sections 168.6 (CPU) and 197 (Order)

Certificate of Property use number 1076-AQ4NEW-1
Risk Assessment number 1076-AQ4NEW

Owner: Yonge Sixteen Inc. (Registered Owner)
Suite 500-145 Adelaide Street West
Toronto, Ontario, M5H 4E5

Yonge Sixteen Inc.
for and on behalf of
Yonge Sixteen LP (Beneficial Owner)
Suite 500-145 Adelaide Street West
Toronto, Ontario, M5H 4E5

Site: 9251 Yonge Street, Richmond Hill

with a legal description as follows:

PT LOT 1, PLAN 3805, PT LOTS 1, 2 & 3, PLAN 3806, BEING PTS 1, 2 & 3, 65R36983; S/T A TEMPORARY EASEMENT OVER PT 2, 6536983, FOR 4 YEARS FROM FEB. 19, 2015, AS IN YR2257683, S/T AN EASEMENT IN GROSS OVER PT 3, 65R36983, AS IN R654356 PARTIALLY RELEASED AS TO PT 5, 65R16571 BY YT1846188; TOWN OF RICHMOND HILL.

Being all of PIN 03109-2434 (LT)

The conditions of this Certificate of Property Use (CPU) address the Risk Management Measures in the Risk Assessment noted above and described in detail in Part 1 below (Risk Assessment). In the event of a conflict between the CPU and the Risk Assessment, the conditions of the CPU take precedence.

Summary:

Refer to Part 1 of the CPU, Interpretation, for the meaning of all the defined capitalized terms that apply to the CPU.

i) CPU requirements addressed in Part 4 of the CPU, Director Requirements, are summarized as follows:

- a. Installing/maintaining any equipment No

- | | |
|---|-----|
| b. Monitoring any contaminant | No |
| c. Refraining from constructing any building specified | Yes |
| d. Refraining from using the Property for any use specified | Yes |
| e. Other: Maintaining a barrier to site soils with a hard cap or fill cap;
preparing a health and safety plan; restricting the construction or use of
potable wells; restricting gardens to raised beds; and preparing and implementing a soil
and groundwater management plan for the Property. | Yes |

ii) Duration of Risk Management Measures identified in Part 4 of the CPU is summarized as follows:

- a. The barrier to site soils shall be maintained for as long as the Contaminants of Concern are present on the Property.
- b. The soil and groundwater management plan and the health and safety plan shall be required for the Property during any activities potentially in contact with or exposing site soils and groundwater beneath any barriers to site soils for as long as the Contaminants of Concern are present on the Property.
- c. All other Risk Management Measures shall continue indefinitely until the Director alters or revokes the CPU.

Part 1: Interpretation

In this CPU, the following capitalised terms have the meanings described below. These terms are also defined in the Approved Model. Not all of these terms may be used in this CPU.

“Act” means the Environmental Protection Act, R.S.O. 1990, c. E.19.

“Adverse Effect” has the same meaning as in the Act; namely,

- (a) impairment of the quality of the natural environment for any use that can be made of it;
- (b) injury or damage to property or to plant or animal life;
- (c) harm or material discomfort to any person;
- (d) an adverse effect on the health of any person;
- (e) impairment of the safety of any person;
- (f) rendering any property or plant or animal life unfit for human use;
- (g) loss of enjoyment of normal use of property; and,
- (h) interference with the normal conduct of business.

“Building” means an enclosed structure occupying an area greater than ten square metres consisting of a wall or walls, roof and floor.

“Building Code” means Ontario Regulation 332/12 (Building Code) as amended to January 1, 2017, made under the Building Code Act, 1992, S.O. 1992, c. 23.

“Capping Soil” means soil that meets the soil criteria identified in Table 2: Full Depth Generic Site Condition Standards is a Potable Ground Water Condition (medium-fine textured soils) for residential, parkland or institutional use, of the Soil, Ground Water and Sediment Standards for Use under Part XV.1 of the Act published by the Ministry and dated April 15, 2011;

“Certificate of Property Use” or “CPU” means this certificate of property use bearing the number **1076-AQ4NEW-1** issued for the Property by the Director under section 168.6 of the Act, as it may be amended from time to time.

“Contaminant” has the same meaning as in the Act; namely any solid, liquid, gas, odour, heat, sound, vibration, radiation or combination of any of them, resulting directly or indirectly from human activities that causes or may cause an Adverse Effect.

“Contaminants of Concern” has the same meaning as in O. Reg. 153/04, which, for the Property, means one or more contaminants found on, in or under the Property at a concentration that exceeds the applicable site condition standards for the Property, as specified in section 3 of the Risk Assessment report and in Schedule ‘A’ of the CPU.

“Director” means a person in the Ministry appointed as a director for the purpose of issuing a certificate of property use under section 168.6 of the Act.

“Grade” has the same meaning as in the Building Code.

“Intrusive Activities” means any intrusive activity undertaken at the Property, such as excavating or drilling into soil or ground water, which may disturb or expose Property Specific Contaminants of Concern at the Property.

“Licensed Professional Engineer” means a person who holds a licence, limited licence or temporary licence under the Professional Engineers Act, R.S.O. 1990, c. P.28.

“Ministry” means the ministry of the government of Ontario responsible for the administration of the Act, currently named the Ministry of the Environment, Conservation and Parks.

“O. Reg. 153/04” means Ontario Regulation 153/04 (Record of Site Condition – Part XV.1 of the Act), made under the Act.

“Owner” means the owner(s) of the Property, beginning with the person(s) to whom the Certificate of Property Use for the Property is first issued by the Director under section 168.6 of the Act based on the Risk Assessment, and any subsequent owner of the Property.

“OWRA” means the *Ontario Water Resources Act*, R.S.O. 1990, c. O.40.

“Property” means the property that is the subject of the Risk Assessment.

“Property Specific Contaminants of Concern” means one or more contaminants found on, in or under the Property at a concentration that exceeds the applicable site condition standards for the Property and any higher standards for the contaminant or contaminants, and as specified in section 3 of the Risk Assessment.

“Property Specific Standards” or “PSS” means the property specific standards established for the Contaminants of Concern in the Risk Assessment and in Item 3.2 of the CPU.

“Provincial Officer” has the same meaning as in the Act, namely, a person who is designated by the Minister as a provincial officer for the purposes of the Act and the regulations.

“Qualified Person” means a person who meets the qualifications prescribed in subsection 5 (2) of O. Reg. 153/04, namely a person who:

- a. Holds a licence, limited licence or temporary licence under the *Professional Engineers Act*, or
- b. Holds a certificate of registration under the *Professional Geoscientists Act, 2000*, and is a practising member, temporary member, or limited member of the Association of Professional Geoscientists of Ontario.

“Risk Assessment” means the risk assessment number 1076-AQ4NEW submitted with respect to the Property and accepted by a Director under section 168.5 of the Act on March 22, 2022 and set out in the following documents:

- “Risk Assessment Report for 9251 Yonge Street, Richmond Hill, Ontario”, report prepared by Golder Associates Ltd., dated July 30, 2018
- “Risk Assessment Addendum for 9251 Yonge Street, Richmond Hill, Ontario”, report prepared by Golder Associates Ltd., dated December 6, 2019
- “Risk Assessment Submission 3, 9251 Yonge Street, Richmond Hill, Ontario”, report prepared by Golder Associates Ltd., dated August 2020
- “Risk Assessment Submission 4, 9251 Yonge Street, Richmond Hill, Ontario”, report prepared by Golder Associates Ltd., dated January 2021
- “Files (2) from Sharon Guin: 1780199 Cover Letter 9251 Yonge St_Dec2021.pdf, 1780199 RA Submission ...” e-mail from Sharon Guin, Golder Associates Ltd, received by TASDB on December 10, 2021, with the following documents attached:
 - o “1780199 Cover Letter 9251 Yonge St_Dec2021.pdf”
 - o “1780199 RA Submission 5 9251 Yonge St 10Dec2021.pdf”
- “RE: Risk Assessment for RA1613-13d; 9251 Yonge Street, Richmond Hill; IDS#1076-AQ4NEW” e-mail from Ruwan Jayasinghe, Golder Associates Ltd., received by TASDB on March 16, 2022, with the following documents attached:
 - o 1780199 pH averaging.pdf
 - o 1780199 RA Submission 6_11Mar2022.pdf
 - o APP D - Mandatory Certifications.pdf
 - o App J - Risk Management Plan 10Dec2021.pdf

“Risk Management Measures” means the risk management measures specific to the Property described in the Risk Assessment and/or Part 4 of the CPU.

“Tribunal” has the same meaning as in the Act; namely, the Ontario Land Tribunal.

Part 2: Legal Authority

- 2.1 Section 19 of the Act states that a certificate of property use is binding on the executor, administrator, administrator with the will annexed, guardian of property or attorney for property of the person to whom it was directed, and on any other successor or assignee of the person to whom it was directed.
- 2.2 Subsection 132(1.1) of the Act states that the Director may include in a certificate of property use a requirement that the person to whom the certificate is issued provide

- financial assurance to the Crown in right of Ontario for any one or more of,
- a. the performance of any action specified in the certificate of property use;
 - b. the provision of alternate water supplies to replace those that the Director has reasonable and probable grounds to believe are or are likely to be contaminated or otherwise interfered with by a contaminant on, in or under the property to which the certificate of property use relates; and
 - c. measures appropriate to prevent adverse effects in respect of the property to which the certificate of property use relates.
- 2.3 Section 168.6 (1) of the Act states that if a risk assessment related to the property has been accepted under clause 168.5 (1) (a), the Director may issue a certificate of property use to the owner of the property, requiring the owner to do any of the following things:
- a. Take any action that is specified in the certificate and that, in the Director's opinion, is necessary to prevent, eliminate or ameliorate any adverse effect that has been identified in the Risk Assessment, including installing any equipment, monitoring any contaminant or recording or reporting information for that purpose.
 - b. Refrain from using the property for any use specified in the certificate or from constructing any building specified in the certificate on the property.
- 2.4 Subsection 168.6(2) of the Act states that a certificate of property use shall not require an owner of property to take any action that would have the effect of reducing the concentration of a contaminant on, in or under the property to a level below the level that is required to meet the standards specified for the contaminant in the risk assessment.
- 2.5 Subsection 168.6(3) of the Act states that the Director may, on his or her own initiative or on application by the owner of the property in respect of which a certificate has been issued under subsection 168.6(1),
- a. alter any terms and conditions in the certificate or impose new terms and conditions; or
 - b. revoke the certificate.
- 2.6 Subsection 168.6(4) of the Act states that if a certificate of property use contains a provision requiring the owner of property to refrain from using the property for a specified use or from constructing a specified building on the property,
- a. the owner of the property shall ensure that a copy of the provision is given to every occupant of the property;
 - b. the provision applies, with necessary modifications, to every occupant of the property who receives a copy of the provision; and
 - c. the owner of the property shall ensure that every occupant of the property complies with the provision.
- 2.7 Subsection 197(1) of the Act states that a person who has authority under the Act to make an order or decision affecting real property also has authority to make an order requiring any person with an interest in the property, before dealing with the property in any way, to give a copy of the order or decision affecting the property to every person who will acquire an interest in the property as a result of the dealing.

- 2.8 Subsection 197(2) of the Act states that a certificate setting out a requirement imposed under subsection 197(1) may be registered in the proper land registry office on the title of the real property to which the requirement relates, if the certificate is in a form approved by the Minister, is signed or authorized by a person who has authority to make orders imposing requirements under subsection 197(1) and is accompanied by a registrable description of the property.
- 2.9 Subsection 197(3) of the Act states that a requirement, imposed under subsection 197(1) that is set out in a certificate registered under subsection 197(2) is, from the time of registration, deemed to be directed to each person who subsequently acquires an interest in the real property.
- 2.10 Subsection 197(4) of the Act states that a dealing with real property by a person who is subject to a requirement imposed under subsection 197(1) or 197(3) is voidable at the instance of a person who was not given the copy of the order or decision in accordance with the requirement.

Part 3: Background

- 3.1 The Risk Assessment was undertaken for the Property on behalf of the Owner to assess the human health risks and ecological risks associated with the presence or discharge of Contaminants on, in or under the Property and to identify appropriate Risk Management Measures to be implemented to ensure that the Property is suitable for the intended use: “**residential**” as defined in O. Reg. 153/04.
- 3.2 The Contaminants on, in or under the Property that are present above the residential/parkland/institutional/industrial/commercial/community property use standards within **Table 2** of the **Soil, Ground Water and Sediment Standards for Use under Part XV.1 of the Environmental Protection Act** published by the Ministry and dated April 15, 2011, or for which there are no such standards are defined as the Contaminants of Concern. The Property Specific Standards for these Contaminants of Concern are also set out in Schedule ‘A’ which is attached to and forms part of the CPU. Also attached to and forming part of the CPU are the following figures:
- Figure 1: Site Survey
 - Figure 2: Typical Soil Barrier Details
- 3.3 I am of the opinion, for the reasons set out in the Risk Assessment that the Risk Management Measures described therein and in Part 4 of the CPU are necessary to prevent, eliminate or ameliorate an Adverse Effect on the Property that has been identified in the Risk Assessment.
- 3.4 The Risk Assessment indicates the presence of Contaminants of Concern including: inorganics in soil and groundwater which require on-going pathway elimination. As such, it is necessary to impose Risk Management Measures including: a requirement for barriers to prevent contact with soils; and a soil management plan for any Intrusive Activities as set out in the Risk Assessment and in Parts 4 and 5 of the CPU.

- 3.5 I am of the opinion, that the requirements set out in Part 6 of this CPU are necessary to supplement the Risk Management Measures described in the Risk Assessment and in Part 4 of the CPU.
- 3.6 I believe for the reasons set out in the Risk Assessment that it is also advisable to require the disclosure of this CPU and the registration of notice of the CPU on title to the Property as set out in the order requirements in Part 7 of this CPU.

Part 4: CPU Risk Management Measures and Requirements Relating to the Risk Assessment and the Property

I hereby require the Owner to do or cause to be done the following under the authority of paragraph 168.8(1)1 of the Act:

- 4.1 Implement, and thereafter maintain or cause to be maintained, the following Risk Management Measures and requirements identified in the Risk Assessment and set out in Sections 4.1 to 4.16 as applicable.
- 4.2 Without restricting the generality of the foregoing in Item 4.1, carry out or cause to be carried out the following key elements of the Risk Management Measures:
- 4.3 Hard Cap Barrier or Fill Cap Barrier Risk Management Measure
- a. The Property shall be covered by a barrier to site soils designed, installed and maintained in accordance with the Risk Assessment so as to prevent exposure to the Contaminants of Concern. The barrier to site soils shall consist of a hard cap or fill cap as specified below:
- i. Hard caps on the Property shall consist of asphalt or concrete underlain by granular fill or equivalent to a minimum thickness of 225mm (as illustrated in figure 2 of the CPU).
 - ii. The fill cap shall consist of aggregate, granular fill or Capping Soil to a minimum depth of 1m (as illustrated in figure 2). Fill caps for any deep rooting plants (i.e. trees and shrubs) shall consist of aggregate, granular fill or Capping Soil to a minimum depth of 1.5m
- 4.4 Inspection, maintenance, and reporting requirements for all Barriers
- a. Prepare and implement a written inspection and maintenance program, prepared by a Qualified Person and to be retained by the Owner, and to be available for inspection upon request by a Provincial Officer, so as to ensure the continuing integrity of each Barrier at the Property so long as the Property Specific Contaminants of Concern are present at the Property, including, at a minimum:
- i. procedures and timing for implementing the program;
 - ii. semi-annual inspections of the Barrier;
 - iii. noting any deficiencies in the Barrier observed during the inspections, or at any other time;
 - iv. repairing promptly any such deficiencies, to the original design specifications,

- v. with written confirmation that the Barrier has been properly repaired; contingency measures, such as fencing, to be implemented if cracks, breaches or any loss of integrity of the Barrier cannot be repaired or addressed in a timely manner, to prevent exposure to the Property Specific Contaminants of Concern in that area of the Property; and
- vi. recording, in writing, all inspections, deficiencies, repairs and implementation of contingency measures, to be retained by the Owner and be available for inspection upon request by a Provincial Officer;

and which are:

- vii. prepared within 90 days of issuance of the CPU; and
 - viii. updated within 30 days following making any alteration to the program.
- b. Prepare a site plan of the entire Property, prepared by a Professional Engineer and to be retained by the Owner, and be available for inspection upon request by a Provincial Officer, showing the Property, any fencing, and the location, type and design of each Barrier at the Property, including cross-sectional drawings of the Barrier showing its design and vertical and lateral extent;

and which are,

- i. delivered to the Owner before use of all or any part of the Property begins, or within 90 days following completion of covering of all or any part of the Property, whichever is earlier; and
- ii. updated and delivered to the Owner within 30 days following making any alteration to the location, design or extent of the Barrier, or other relevant feature shown on the site plan.

4.5 Soil and Groundwater Management Plan

Prepare and implement a written soil and groundwater management plan for the Property, prepared by a Qualified Person and to be retained by the Owner, and be available for inspection upon request by a Provincial Officer, for managing excavated soil or soil brought to the Property during Intrusive Activities at the Property, so as to prevent exposure to or uncontrolled movement or discharge of the Property Specific Contaminants of Concern in soil at the Property, including, at a minimum:

- a. procedures and timing for implementing the plan, including the supervision of persons implementing the plan;
- b. Dust control measures and prevention of soil tracking by vehicles and personnel from the Property, which may include wetting of soil with potable water, reduced speeds for on-site vehicles, tire washing stations and restricting working in high wind conditions, as required;
- c. measures, in addition to any applicable measures specified in O. Reg. 153/04, to manage soil excavated at the Property and any soil brought to or removed from the Property, including:
 - i. characterizing for contaminant quality all excavated soil and any soil brought to the Property, including determining whether the soil:
 - 1. is suitable for use as Capping Soil;
 - 2. meets the Property Specific Standards; or

3. exceeds the Property Specific Standards.
- ii. managing excavated soil separately from any soil brought to the Property, including any excavated soil that is to be:
 1. used as Capping Soil Property;
 2. otherwise used as fill at the Property;
 3. removed from the Property.
- iii. stockpiling of excavated soil and any soil brought to the Property in separate designated areas that:
 1. reflect the distinctions described in part c. (i) and (ii);
 2. have been lined and covered, as appropriate, to prevent uncontrolled movement
 3. have been bermed, as appropriate, to restrict access by persons; and
 4. have storm water runoff controls in place to minimize storm water runoff contacting stockpiled soil, with provision for discharge of storm water runoff to a sanitary sewer or to other approved treatment if needed.
- d. measures to manage storm water and any ground water from dewatering at the Property to prevent the movement of entrained soil within and away from the Property, including, in addition to any applicable measures specified pursuant to other applicable law or other instruments, measures such as silt fences, filter socks for catch-basins and utility covers, and provision for discharge to a sanitary sewer or to other approved treatment if needed; and
- e. recording, in writing, the soil, storm water and any ground water management measures undertaken, in addition to any applicable record keeping requirements specified in O. Reg. 153/04 or pursuant to other applicable law or other instruments, to be retained by the Owner, and be available for inspection upon request by a Provincial Officer, including:
 - i. dates and duration of the Intrusive Activities being undertaken;
 - ii. weather and site conditions during the Intrusive Activities;
 - iii. the location and depth of excavation activities, and dewatering activities, if any;
 - iv. dust control and soil tracking control measures;
 - v. characterization results for excavated soil and any soil brought to or removed from the Property, and for any ground water from dewatering;
 - vi. soil management activities including soil quantities excavated and brought to and removed from the Property, and stockpile management and storm water runoff control;
 - vii. names and contact information for the Qualified Persons and on-site contractors involved in the Intrusive Activities;
 - viii. names and contact information for any haulers and receiving sites for soil removed from the Property, and for haulers and source sites of any soil brought to the Property; and
 - ix. any complaints received relating to the Intrusive Activities, including the soil, and storm water management activities;
 and which is,
 - x. prepared before any Intrusive Activities are undertaken at the Property; and
 - xi. updated within 30 days following making any alteration to the plan.

4.6 Health and Safety Plan

A site specific health and safety plan shall be developed for the Property and implemented during all intrusive or below-grade activities potentially coming in contact with or exposing site soils beneath any barriers to site soils, or ground water and a copy shall be maintained on the Property for the duration of these intrusive activities. The Owner shall ensure that the health and safety plan takes into account the presence of the Contaminants of Concern and is implemented prior to any intrusive work being done beneath any barriers to site soils on the Property in order to protect workers from exposure to the Contaminants of Concern. The health and safety plan shall be prepared in accordance with applicable Ministry of Labour health and safety regulations, shall address any potential risks identified in the Risk Assessment, and shall include, but not be limited to, occupational hygiene requirements, requirements for personal protective equipment, and contingency plan requirements including site contact information. Prior to initiation of any project (as defined in the Occupational Health and Safety Act, as amended) that shall include excavation beneath any barriers to sites soils on the Property, the local Ministry of Labour office shall be notified of the proposed activities and that the Property contains contaminated soil and ground water. Implementation of the health and safety plan shall be overseen by persons qualified to review the provisions of the plan with respect to the proposed site work and conduct daily inspections. The Owner shall retain a copy of the plan, which shall be made available for review by the Ministry upon request.

4.7 Storage Garage with Continuous 3.9 Litres/second of Ventilation

Refrain from constructing any Building on the Property unless the Building includes a Storage Garage, and:

- a. The Storage Garage is constructed at or below the Grade of the Building; and
- b. The Storage Garage area covers the entire Building Area at Grade; and
- c. The Storage Garage complies with all applicable requirements of the Building Code, such as the provisions governing:
 - i. design of a mechanical ventilation system as set out in Division B, Article 6.2.2.3. (Ventilation of Storage and Repair Garages) of the Building Code; and
 - ii. interconnection of air duct systems as set out in Division B, Sentence (2) of Article 6.2.3.9. (Interconnection of Systems) of the Building Code; and
 - iii. air leakage as set out in Division B, Section 5.4. (Air Leakage) of the Building Code; and
- d. The mechanical ventilation system for the Storage Garage is designed to provide, and provides at all times, a continuous supply of outdoor air at a rate of not less than 3.9 litres per second for each square metre of floor area,
- e. Where the Storage Garage includes permanent groundwater control measures including drainage or dewatering, a Qualified Person will provide written confirmation that the design is suitable to the Contaminants of Concern present in

site groundwater and consistent with intended RMM performance. A copy of this confirmation will be maintained with site plans and RMM records.

- f. Upon the occupancy of any new Building(s) constructed the Property, the Owner shall implement a semi-annual indoor air and ventilation monitoring program in accordance with the Risk Management Plan. program shall include, but not be limited to, the following components:
- i. Be overseen by a Qualified Person;
 - ii. All sampling and quality control procedures shall be conducted in accordance with the section 1.4.1 of Appendix J of the Risk Assessment.
 - iii. Be conducted for the Contaminants of Concern set out on Table J-4 of the Risk Assessment and estimated air exchange rates;
 - iv. Where a sample exceeds the Table 2 trigger values, or air exchange rate is less than 3.9L/s, resample in accordance with the Risk Management Plan and notify the Ministry where resampling results identify a need for contingency measures; and
 - v. Any changes to the monitoring program must be requested in writing by a Qualified person, and these changes shall only be implemented upon the Owner receiving written approval from the Director.

4.8 Prohibition of Planting Fruit and Vegetables for Consumption

The Owner shall refrain from planting fruit and vegetables for consumption on the Property unless planted in above ground containers such that the plants are isolated from the subsurface conditions. The planting of fruit and vegetables for consumption on the Property is prohibited for as long as the Contaminants of Concern in soil and groundwater remain present.

4.9 Annual Reports

The Owner shall prepare by March 31 each year, an annual report documenting activities relating to the Risk Management Measures undertaken during the previous calendar year. A copy of this report shall be maintained on file by the Owner and shall be made available upon request by a Provincial Officer. The report shall include, but not be limited to, the following minimum information requirements:

- a. a copy of all records related to the inspection and maintenance program for the barrier to site soils and fences along with and all repairs and maintenance efforts carried out to mitigate any concerns identified;
- b. a copy of all records related to the soil management plan and the health and safety plan on the Property;
- c. a copy of all records for all air monitoring (indoor air and air exchange rate) including the laboratory's certificate of analyses and chain of custody, and field notes indicating the initial and final canister pressures, atmospheric pressure, weather and temperature;
- d. a copy of all as-built drawings signed by a Licensed Professional Engineer; and
- e. a copy of all signed site plans including any alterations.

Part 5: CPU Restrictions on Property Use, Building Construction and Notice Requirements

I hereby require the Owner to do or cause to be done the following under the authority of paragraph 168.6(1)2 of the Act:

- 5.1 **Property Use Restriction:**
Refrain from using the Property for any of the following use(s): agricultural/other use as defined in O. Reg 153/04.
- 5.2 **Building Construction Restrictions:**
Refrain from constructing the following building(s): No building construction unless construction is in accordance with Item 4.7 of the CPU.
- 5.3 **Notice of Restrictions**
Pursuant to the requirements of subsection 168.6(4) of the Act, the Owner shall ensure that every occupant of the Property is given notice that the Ministry has issued this CPU and that it contains the provisions noted above in Items 5.1 and 5.2, except where noted N/A, and that every occupant complies with such provisions. For the purposes of this requirement, an occupant means any person with whom the Owner has a contractual relationship regarding the occupancy of all or part of the Property.

Part 6: Additional Requirements

I hereby require the Owner to do or cause to be done the following things under the authority of subsection 168.6(1) of the Act.

- 6.1 **Site Changes Affecting Risk Management Measures**
In the event of a change in the physical site conditions or receptor characteristics at the Property that may affect the Risk Management Measures and/or any underlying basis for the Risk Management Measures, the Owner shall forthwith notify the Director of such changes and the steps taken, to implement, maintain and operate any further Risk Management Measures as are necessary to prevent, eliminate or ameliorate any Adverse Effect that will result from the presence on, in or under the Property or the discharge of any Contaminant of Concern into the natural environment from the Property. In support of this work, a new risk assessment may need to be completed in accordance with O. Reg. 153/04 and submitted to the Ministry for acceptance. An amendment to the CPU will be issued to address the changes set out in any notice received and any future changes that the Director considers necessary in the circumstances.
- 6.2 **Report Retention Requirements**
The Owner shall retain a copy of any reports required under the CPU for a period of seven (7) years from the date the report is created and within ten (10) days of the Director or a Provincial Officer making a request for a report, provide a copy to the requesting Director or Provincial Officer.
- 6.3 **Owner Change Notification**
While the CPU is in effect, the Owner shall, forthwith report in writing to the Director any

changes of ownership, except that while the Property is registered under the *Condominium Act, 1998*, S.O.1998 c.19, no notice shall be given of changes in the ownership of individual condominium units or any appurtenant common elements on the Property of the Property.

Part 7: Section 197 Order (Property Notice and Certificate of Requirement Registration) Requirements

I hereby order the Owner to do or cause to be done the following under the authority of subsections 197(1) and 197 (2) of the Act:

- 7.1 **Property Notice Requirement**
For the reasons set out in the CPU and pursuant to the authority vested in me by subsection 197(1) of the Act I hereby order you and any other person with an interest in the Property, before dealing with the Property in any way, to give a copy of the CPU, including any amendments thereto, to every person who will acquire an interest in the Property as a result of the dealing.
- 7.2 **Certificate of Requirement Registration**
Within fifteen (15) days from the date of receipt of a certificate of requirement issued under subsection 197(2) of the Act and as set out in Schedule 'B', register the certificate of requirement on title to the Property, in the appropriate land registry office.
- 7.3 **Verification**
Within five (5) days after registering the certificate of requirement provide to the Director a copy of the registered certificate and of the parcel register(s) for the Property confirming that registration has been completed.

Part 8: General Requirements

- 8.1 The requirements of the CPU are severable. If any requirement of the CPU or the application of any requirement to any circumstance is held invalid, such finding does not invalidate or render unenforceable the requirement in other circumstances nor does it invalidate or render unenforceable the other requirements of the CPU.
- 8.2 An application under section 168.6(3) of the Act to, a) alter any terms and conditions in the CPU or impose new terms and conditions; or b) revoke the CPU; shall be made in writing to the Director, with reasons for the request.
- 8.3 Subsection 186(3) of the Act provides that failure to comply with the requirements of the CPU constitutes an offence.
- 8.4 The requirements of the CPU are minimum requirements only and do not relieve the Owner from, a) complying with any other applicable order, statute, regulation, municipal, provincial or federal law; or b) obtaining any approvals or consents not specified in the CPU.
- 8.5 Notwithstanding the issuance of the CPU, further requirements may be imposed in

accordance with legislation as circumstances require.

- 8.6 In the event that, any person is, in the opinion of the Director, rendered unable to comply with any requirements in the CPU because of,
- a. natural phenomena of an inevitable or irresistible nature, or insurrections,
 - b. strikes, lockouts or other labour disturbances,
 - c. inability to obtain materials or equipment for reasons beyond your control, or
 - d. any other cause whether similar to or different from the foregoing beyond your control,
- the requirements shall be adjusted in a manner defined by the Director. To obtain such an adjustment, the Director must be notified immediately of any of the above occurrences, providing details that demonstrate that no practical alternatives are feasible in order to meet the requirements in question.
- 8.7 Failure to comply with a requirement of the CPU by a date specified does not absolve the Owner from compliance with the requirement. The obligation to complete the requirement shall continue each day thereafter.
- 8.8 The Risk Management Measures identified in the Risk Assessment and also in Part 4 of the CPU and all the other requirements in the CPU shall commence upon the issuance of the CPU and continue in full force and effect in accordance with the terms and conditions of the CPU until such time as the Director alters or revokes the CPU.
- 8.9 The provisions of the CPU shall take precedence in the event of a conflict between the provisions of the CPU and the Risk Assessment save and except for the Part 4 Risk Management Measures.
- 8.10 In the event that the Owner complies with the provisions of Items 7.2 and 7.3 of the CPU regarding the registration of the certificate of requirement on title to the Property, and then creates a condominium corporation by the registration of a declaration and description with respect to the Property pursuant to the *Condominium Act, 1998*, S.O. 1998, c.19 and then transfers ownership of the Property to various condominium unit owners, the ongoing obligations of the Owner under this CPU can be carried out by the condominium corporation on behalf of the new Owners of the Property.

Part 9: Information regarding a Hearing before the Ontario Land Tribunal

With respect to those provisions relating to my authority in issuing a certificate of property use under section 168.6 and an order under section 197 of the Act:

- 9.1 Pursuant to section 139 of the Act, you may require a hearing before the Ontario Land Tribunal (the "Tribunal"), if within fifteen (15) days after service on you of a copy of the CPU, you serve written notice upon the Director and the Tribunal.
- 9.2 Pursuant to section 142 of the Act, the notice requiring the hearing must include a statement of the portions of the CPU and the grounds on which you intend to rely at the

hearing. Except by leave of the Tribunal, you are not entitled to appeal a portion of the CPU, or to rely on a ground, that is not stated in the notice requiring the hearing.

- 9.3 Service of a notice requiring a hearing must be carried out in a manner set out in section 182 of the Act and Ontario Regulation 227/07: Service of Documents, made under the Act. The contact information for the Director and the Tribunal is the following:

Registrar
Ontario Land Tribunal
655 Bay Street, Suite 1500
Toronto, ON, M5G 1E5
Email: OLT.Registrar@ontario.ca

and

Celeste Dugas
York Durham District Office
Ministry of the Environment, Conservation and Parks
230 Westney Road South, 5th Floor
Ajax, Ontario
Email: Celeste.Dugas@ontario.ca

The contact information of the Ontario Land Tribunal and further information regarding its appeal requirements can be obtained directly from the Tribunal at:

Tel: (416) 212-6349 or Toll Free 1 (866) 448-2248 or www.olt.gov.on.ca.

Further information regarding service can be obtained from e-Laws at www.ontario.ca/laws. Please note that where service is made by mail, it is deemed to be made on the fifth day after the date of mailing and choosing service by mail does not extend any timelines.

- 9.4 Unless stayed by the Tribunal under section 143 of the Act, the CPU is effective from the date of issue.
- 9.5 If you commence an appeal before the Tribunal, under section 47 of the Environmental Bill of Rights, 1993 (the “EBR”) you must give notice to the public in the Environmental Registry of Ontario. The notice must include a brief description of the CPU (sufficient to identify it) and a brief description of the grounds of appeal. The notice must be delivered to the Minister of the Environment, Conservation and Parks who will place it on the Environmental Registry of Ontario. The notice must be delivered to the Minister of the Environment, Conservation and Parks, College Park 5th Flr, 777 Bay St., Toronto, ON M7A 2J3 by the earlier of: (a) two (2) days after the day on which the appeal before the Tribunal was commenced; and (b) fifteen (15) days after service on you of a copy of the CPU.
- 9.6 Pursuant to subsection 47(7) of the EBR, the Tribunal may permit any person to participate in the appeal, as a party or otherwise, on order to provide fair and adequate representation of the private and public interests, including governmental interests, involved in the appeal.

- 9.7 Pursuant to section 38 of the EBR, any person resident in Ontario with an interest in the CPU may seek leave to appeal the CPU. Pursuant to section 40 of the EBR, the application for leave to appeal must be made to the Tribunal by the earlier of: (a) fifteen (15) days after the day on which the notice of the decision to issue the CPU is given in the Environmental Registry of Ontario; and (b) if you appeal, fifteen (15) days after the day on which your notice of appeal is given in the Environmental Registry of Ontario.
- 9.8 The procedures and other information provided in this Part 9 are intended as a guide. The legislation should be consulted for additional details and accurate reference. Further information can be obtained from e-Laws at www.ontario.ca/laws.

Issued this 21st day of October 2022.



Celeste Dugas
Director, section 168.6 of the Act

Schedule 'A'

Contaminants of Concern and Property Specific Standards

Media	Contaminants of Concern (COC)	Units	Property Specific Standards
Soil	Antimony	µg/g	33
Soil	Benz(a)anthracene	µg/g	1
Soil	Benzo(a)pyrene	µg/g	0.8
Soil	Benzo(b)fluoranthene	µg/g	1.6
Soil	Cadmium	µg/g	4.4
Soil	Fluoranthene	µg/g	2.8
Soil	Lead	µg/g	408
Groundwater	Barium	µg/L	2700
Groundwater	Benzo(a)pyrene	µg/L	0.048
Groundwater	Molybdenum	µg/L	151
Groundwater	PHC F3 (C16 to C34)	µg/L	941
Groundwater	PHC F4 (C34 to C50)	µg/L	2400
Groundwater	Selenium	µg/L	18
Groundwater	Trichlorethylene	µg/L	0.96
Groundwater	Uranium	µg/L	34
Groundwater	Vinyl Chloride	µg/L	0.58

SCHEDULE 'B'

CERTIFICATE OF REQUIREMENT

s.197(2)

Environmental Protection Act

This is to certify that pursuant to Item 7.1 of Certificate of Property Use number **1076-AQ4NEW-1** issued by Celeste Dugas, Director of the Ministry of the Environment, Conservation and Parks, under sections 168.6 and 197 of the *Environmental Protection Act*, on October 21, 2022 being a Certificate of Property Use and order under subsection 197(1) of the *Environmental Protection Act* relating to the property municipally known as 9251 Yonge Street, Richmond Hill, Ontario being PT LOT 1, PLAN 3805, PT LOTS 1, 2 & 3, PLAN 3806, BEING PTS 1, 2 & 3, 65R36983; S/T A TEMPORARY EASEMENT OVER PT 2, 6536983, FOR 4 YEARS FROM FEB. 19, 2015, AS IN YR2257683, S/T AN EASEMENT IN GROSS OVER PT 3, 65R36983, AS IN R654356 PARTIALLY RELEASED AS TO PT 5, 65R16571 BY YT1846188,; TOWN OF RICHMOND HILL; being all of Property Identifier Number 03109-2434 (LT), (the "Property") with respect to a Risk Assessment and certain Risk Management Measures and other preventive measure requirements on the Property

Yonge Sixteen Inc.

and any other persons having an interest in the Property, are required before dealing with the Property in any way, to give a copy of the Certificate of Property Use, including any amendments thereto, to every person who will acquire an interest in the Property.

Under subsection 197(3) of the *Environmental Protection Act*, the requirement applies to each person who, subsequent to the registration of this certificate, acquires an interest in the Property.

Figure 2: Typical Barrier Cap Details

