

Ministry of the Environment, Conservation and Parks Ministère de l'Environnement, de la Protection de la nature et des Parcs

ENVIRONMENTAL COMPLIANCE APPROVAL

NUMBER 8904-CMWKST Issue Date: February 28, 2023

Manotak Lodge Ltd. PO BOX 7406 Bloomington, Indiana USA 47407

Site Location: Manotak Lodge

BR15 Highway 105

Ear Falls Township, District of Kenora

on Perrault Lake in Perrault Falls,

Ontario. P0V2K0

You have applied under section 20.2 of Part II.1 of the <u>Environmental Protection Act</u>, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:

the establishment of Works servicing a seasonally operated tourist resort and owner's permanent residence, for the treatment of domestic sewage and subsurface disposal of effluent, rated at a Maximum Daily Flow of 16,775 litres per day, consisting of the following:

- 1. Septic Tank 1 existing (servicing cottages 1, 1A, 2, 4, 5, 6,7, 8,11; estimated Q = 5,120 L/day): One (1) two chamber concrete tank retrofitted with effluent filter located as shown on drawing C 100 with a total capacity 12,750 litres to accept sewage from the facilities, equipped with waterproof lockable access opening, audible and visual high level alarm and a 1/2 (0.5) hp submersible pump to discharge effluent via 50 mm diameter forcemain into a pump chamber/dosing chamber as described later on;
- **2. Septic Tank 2** existing (servicing a lodge, cottages 3,10, 2, 15 and 16; estimated Q = 6,310 L/day): One (1) two chamber concrete tank retrofitted with an effluent filter, located as shown on drawing C 100 with a total capacity 12,750 litres to accept sewage from the facilities, equipped with a waterproof lockable access opening, audible and visual high level alarm and a 1/2 (0.5) hp submersible pump to discharge effluent via 50 mm forcemain into a pump chamber/dosing chamber as described later on;
- **3. Septic Tank 3** (servicing Owner's residence, flow from the Laundry Building and 4 number of staff cabins; estimated Q = 5,345 L/day): One (1) two chamber tank fitted with an effluent filter, located as shown on the drawing C100 with a total capacity 10,750 litres to accept sewage from the facilities and is equipped with a waterproof lockable access opening, audible and visual high level alarm and a 1/2 (0.5hp) submersible pump to

discharge effluent via 50 mm forcemain into a pump chamber/dosing chamber as described later on;

- **4. Lift Tank:** wastewater from the Laundry Building is to be collected in a single chamber 2401 Litre tank equipped with a submersible pump to discharge into the septic tank 3 as described earlier;
- **5.** Collection / Sediment Tank: sewage from cottages 14 and 15 is to collect in a single chamber sediment tank, 3,600 Litre capacity and to discharge into the existing septic tank 2;
- **6. Pump chamber/Distribution Box:** all effluents from the septic tanks are collected into this single compartment dosing chamber with a total capacity of approximately 2,401 Litre, equipped with two (2) sewage effluent submersible pumps (pumps will cycle to dose each tile bed alternately) discharging within a time cycle not exceeding 15 minutes via a 50 mm diameter forcemain (approximately 19 m long) to a subsurface disposal bed as described below:
- 7. Subsurface Disposal Bed: one (1) fully raised leaching bed with a total four (4) sectors each comprising of eight (8) runs 75 mm diameter distribution pipes 16 m in length (total length 512 m); each sector of bed constructed in imported soil with a percolation time of T = 6 min/cm including a 250 mm thick soil mantle extending 15 m beyond the distribution pipes in all downgradient directions;

all other controls, electrical equipment, instrumentation, piping, pumps, valves and appurtenances essential for the proper operation of the aforementioned sewage works;

all in accordance with Supporting Documentation submitted to the Ministry as listed in the **Schedule A**;

For the purpose of this environmental compliance approval, the following definitions apply:

- 1. "Approval" means this entire document and any schedules attached to it, and the application
- 2. "Director" means a person appointed by the Minister pursuant to section 5 of the EPA for the purposes of Part II.1 of the EPA;
- 3. "District Manager" means the District Manager of the Kenora office;
- 4. "EPA" means the Environmental Protection Act, R.S.O. 1990, c.E.19, as amended;
- 5. "Existing Works" means those portions of the Works included in the Approval that have been constructed previously;
- 6. "Licensed Engineering Practitioner" means a person who holds a licence, limited licence or temporary licence under the *Professional Engineers Act*, R.S.O. 1990, c. P.28;
- 7. "Licensed Installer" means a person who is registered under the OBC to construct, install, repair, service, clean or empty on-site sewage systems;
- 8. "Maximum Daily Flow" means the largest volume of flow to be received during a one-day period for which

the Works is designed to handle;

- 9. "Ministry" means the ministry of the government of Ontario responsible for the EPA and OWRA and includes all officials, employees or other persons acting on its behalf;
- 10. "OBC" means the Ontario Building Code, Ontario Regulation 332/12 (Building Code) as amended to January 1, 2015, made under the *Building Code Act*, 1992, S.O. 1992, c. 23;
- 11. "Owner" means Manotak Lodge Ltd. and its successors and assignees;
- 12. "OWRA" means the *Ontario Water Resources Act*, R.S.O. 1990, c. O.40, as amended;
- 13. "Works" means the approved sewage works, and includes Existing Works.

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. GENERAL PROVISIONS

- 1. The Owner shall ensure that any person authorized to carry out work on or operate any aspect of the Works is notified of this Approval and the terms and conditions herein and shall take all reasonable measures to ensure any such person complies with the same.
- 2. The Owner shall design, construct, operate and maintain the Works in accordance with the conditions of this Approval.
- 3. Where there is a conflict between a provision of any document referred to in this Approval and the conditions of this Approval, the conditions in this Approval shall take precedence.

2. EXPIRY OF APPROVAL

1. The approval issued by this Approval will cease to apply to those parts of the Works which have not been constructed within **five (5) years** of the date of this Approval.

3. CHANGE OF OWNER

- 1. The Owner shall notify the District Manager and the Director, in writing, of any of the following changes within 30 days of the change occurring:
 - a. change of address of Owner;
 - b. change of Owner, including address of new owner;

- c. change of partners where the Owner is or at any time becomes a partnership, and a copy of the most recent declaration filed under the *Business Names Act*, R.S.O. 1990, c.B17 shall be included in the notification:
- d. change of name of the corporation and a copy of the most current information filed under the *Corporations Information Act*, R.S.O. 1990, c. C39 shall be included in the notification.
- 2. In the event of any change in ownership of the Works, other than a change to a successor municipality, the Owner shall notify in writing the succeeding owner of the existence of this Approval, and a copy of such notice shall be forwarded to the District Manager and the Director.
- 3. The Owner shall ensure that all communications made pursuant to this condition refer to the number of this Approval.

4. CONSTRUCTION

- 1. The Owner shall ensure that the construction of the Works is supervised by a Licensed Installer or a Licensed Engineering Practitioner.
- 2. The Owner shall ensure that the Works are constructed such that minimum horizontal clearance distances as specified in the OBC are satisfied.
- 3. The Owner shall ensure that an imported soil that is required for construction of any subsurface disposal bed as per this Approval is tested and verified by the Licensed Engineering Practitioner or Licensed Installer for the percolation time (T) prior to delivering to the site location and the written records are kept at the site.
- 4. Upon construction of the Works, the Owner shall prepare a statement, certified by a Licensed Installer or a Licensed Engineering Practitioner, that the Works are constructed in accordance with this Approval, and upon request, shall make the written statement available for inspection by Ministry staff.
- 5. Upon construction of the Works, the Owner shall prepare a set of as-built drawings showing the Works "as constructed". "As-built" drawings shall be kept up to date through revisions undertaken from time to time and a copy shall be retained at the site for the operational life of the Works and shall be made available for inspection by Ministry staff.

5. OPERATIONS, MAINTENANCE AND RECORDING

1. The Owner shall ensure that, at all times, the Works and the related equipment and appurtenances used to achieve compliance with this Approval are properly operated and maintained. Proper operation and maintenance shall include effective performance, adequate funding, adequate staffing and training, including training in all procedures and other requirements of this Approval and the OWRA and regulations.

- 2. The Owner shall ensure that the septic tank is pumped out every 3-5 years or when the tank is 1/3 full of solids and the effluent filter is cleaned out at minimum once a year (or more often if required).
- 3. The Owner shall ensure that grass-cutting is maintained regularly over the subsurface disposal bed(s), and that adequate steps are taken to ensure that the area of the underground Works is protected from vehicle traffic.
- 4. The Owner shall visually inspect the general area where Works are located for break-out once every month during the operating season.
- 5. In the event a break-out is observed from a subsurface disposal bed, the Owner shall do the following:
 - a. sewage discharge to that subsurface disposal system shall be discontinued;
 - b. the incident shall be **immediately** reported verbally to the Spills Action Centre (SAC) at (416) 325-3000 or 1-800-268-6060;
 - c. submit a written report to the District Manager within one (1) week of the break-out;
 - d. access to the break-out area shall be restricted until remedial actions are complete;
 - e. during the time remedial actions are taking place the sewage generated at the site shall not be allowed to discharge to the environment; and
 - f. sewage generated at the site shall be safely collected and disposed of through a licensed waste hauler to an approved sewage disposal site.
- 6. The Owner shall maintain a logbook to record the results of operation and maintenance activities specified in the above sub-clauses, and shall keep the logbook at the site and make it available for inspection by the Ministry staff.
- 7. The Owner shall retain for a minimum of **five (5) years** from the date of their creation, all records and information related to or resulting from the operation and maintenance activities required by this Approval.

6. REPORTING

- 1. **One (1) week** prior to the start up of the operation of the Works, the Owner shall notify the District Manager (in writing) of the pending start up date.
- 2. In addition to the obligations under Part X of the EPA and O. Reg. 675/98 (Classification and Exemption of Spills and Reporting of Discharges) made under the EPA, the Owner shall, within **fifteen (15) days** of the occurrence of any reportable spill as provided in Part X of the EPA and O.

Reg. 675/98, submit a full written report of the occurrence to the District Manager describing the cause and discovery of the spill, clean-up and recovery measures taken, preventative measures to be taken and a schedule of implementation.

The reasons for the imposition of these terms and conditions are as follows:

- 1. Condition 1 is imposed to ensure that the Works are built and operated in the manner in which they were described for review and upon which approval was granted. This condition is also included to emphasize the precedence of Conditions in the Approval and the practice that the Approval is based on the most current document, if several conflicting documents are submitted for review. The condition also advises the Owners their responsibility to notify any person they authorized to carry out work pursuant to this Approval the existence of this Approval.
- 2. Condition 2 is included to ensure that, when the Works are constructed, the Works will meet the standards that apply at the time of construction to ensure the ongoing protection of the environment.
- 3. Condition 3 is included to ensure that the Ministry records are kept accurate and current with respect to the approved Works and to ensure that subsequent owners of the Works are made aware of the Approval and continue to operate the Works in compliance with it.
- 4. Condition 4 is included to ensure that the Works are constructed, and may be operated and maintained such that the environment is protected and deterioration, loss, injury or damage to any person or property is prevented.
- 5. Condition 5 is included to require that the Works be properly operated, maintained, and equipped such that the environment is protected.
- 6. Condition 6 is included to provide a performance record for future references, to ensure that the Ministry is made aware of problems as they arise, and to provide a compliance record for all the terms and conditions outlined in this Approval, so that the Ministry can work with the Owner in resolving any problems in a timely manner.

Schedule A

1. Application for Environmental Compliance Approval submitted by Dale Wiebe, P.Eng. of Pinchin Ltd., dated October 1, 2022 and received on October 31, 2022, for the proposal, including Brief design report, final plans and specifications by Kyle Kowalik, Project Technologist, N.W., of Pinchin, Ltd.

In accordance with Section 139 of the *Environmental Protection Act*, you may by written notice served upon me, the Ontario Land Tribunal and in accordance with Section 47 of the *Environmental Bill of Rights*, 1993, the Minister of the Environment, Conservation and Parks, within 15 days after receipt of this notice, require a hearing by the Tribunal. The Minister of the Environment, Conservation and Parks will place notice of your appeal on the Environmental Registry. Section 142 of the *Environmental Protection Act* provides that the notice requiring the hearing ("the Hearing") shall state:

- a. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
- b. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

- 1. The name of the appellant;
- 2. The address of the appellant;
- 3. The environmental compliance approval number;
- 4. The date of the environmental compliance approval;
- 5. The name of the Director, and;
- 6. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

and

This Notice must be served upon:

Registrar*
Ontario Land Tribunal
655 Bay Street, Suite 1500
Toronto, Ontario
M5G 1E5
OLT.Registrar@ontario.ca

The Minister of the Environment, Conservation and Parks 777 Bay Street, 5th Floor Toronto, Ontario M7A 2J3

and

The Director appointed for the purposes of Part II.1 of the *Environmental Protection Act* Ministry of the Environment, Conservation and Parks 135 St. Clair Avenue West, 1st Floor Toronto, Ontario M4V 1P5

* Further information on the Ontario Land Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349 or 1 (866) 448-2248, or www.olt.gov.on.ca

This instrument is subject to Section 38 of the *Environmental Bill of Rights*, 1993, that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek leave to appeal within 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry at https://ero.ontario.ca/, you can determine when the leave to appeal period ends.

The above noted activity is approved under s.20.3 of Part II.1 of the Environmental Protection Act.

DATED AT TORONTO this 28th day of February, 2023



Fariha Pannu, P.Eng.
Director
appointed for the purposes of Part II.1 of the
Environmental Protection Act

MN/

- c: Area Manager, MECP Kenora
- c: District Manager, MECP Thunder Bay District Dale Wiebe, Pinchin Ltd.