
ENVIRONMENTAL COMPLIANCE APPROVAL

NUMBER A-500-4286577194

Version: 1.0

Issue Date: October 26, 2024

Pursuant to section 20.3 of the *Environmental Protection Act*, Revised Statutes of Ontario (R.S.O.) 1990, c. E. 19 and subject to all other applicable Acts or regulations this Environmental Compliance Approval is issued to:

FRANCIS THOMAS CONTRACTING COMPANY
LTD.

15561 HWY 35
ALGONQUIN HIGHLANDS ONTARIO
K0M 1S0

For the following site:

688 Bobcaygeon Road , Minden, MINDEN HILLS, ONTARIO, CANADA,
K0M 2K0

Upon issuance of the environmental compliance approval, I hereby revoke Approval No(s) 6792-CDEPJ2, issued on May 3, 2022.

You have applied under section 20.2 of Part II.1 of the *Environmental Protection Act*, R.S.O. 1990, c. E. 19 (*Environmental Protection Act*) for approval of:

the use and operation of a Hauled Sewage Disposal Site. The Hauled Sewage Disposal Site approved herein may accept Hauled Sewage only, the spreading of which is restricted to the 7.38 hectare spreading area described at Schedule 1 of this Environmental Compliance Approval.

DEFINITIONS

For the purpose of this environmental compliance approval, the following definitions apply:

1. "**Act**" means the *Environmental Protection Act*, R.S.O. 1990, c. E.19, as amended;
2. "**Approval**" means this entire environmental compliance approval including its schedules, issued under section 20.3 of II.1 of the Act;
3. "**Buffer Zone**" means a 60 metre wide permanently vegetated area to be maintained in

between the high watermark of any watercourse or the defined boundary of any wetland, and the boundary of the Site;

4. "**CWA**" means the Clean Water Act, 2006, S.O. 2006, c. 22, as amended.
5. "**Commercial, community or institutional use**" means any commercial, community or institutional use, including without limitation the use of land for,
 - i. an office building,
 - ii. a hotel, motel, hostel or similar type of accommodation,
 - iii. an overnight camp or overnight campgrounds,
 - iv. indoor recreational or sporting activities,
 - v. indoor gatherings for civic, religious or social purposes,
 - vi. indoor performing arts activities,
 - vii. a railway station, airport passenger terminal or other embarkation or debarkation point for travellers,
 - viii. day care centre,
 - ix. educational purposes, including a school, college, university, private career college or associated residence,
 - x. a health care facility, or
 - xi. a penitentiary, jail or other place of custody or detention;
6. "**Company**" or "**Operator**" means FRANCIS THOMAS CONTRACTING COMPANY LTD., or its agents or assignees, that is responsible for the construction or operation of the Site and includes any successors and assignees in accordance with section 19 of the Act;
7. "**Director**" means a person appointed by the Minister pursuant to section 5 of the Act for the purposes of Part II.1 of the Act;
8. "**District Manager**" means the District Manager of the Ministry for the geographic area in which the Site is located;
9. "**Frozen**", when used in reference to soil, means that a layer of soil with an average minimum depth of five centimetres, located within the top 15 centimetres of the soil, is consolidated by the presence of frozen moisture;
10. "**Hauled Sewage**" is as defined in R.R.O. 1990, Reg. 347, made under the Act, as amended from time to time;
11. "**Incorporation**" means the mixing of Hauled Sewage into the surface of soil by tillage with a minimum depth of soil disturbance of 10 centimetres;

12. **"Injection"**, in relation to the application of Hauled Sewage to land, means the placement of hauled sewage below the surface of the soil of the land;
13. **"Maximum Sustained Slope"** means the change in elevation from the top to the bottom of a slope divided by the length of the slope expressed as a percentage, where the slope has a minimum length of 10 metres and where the slope is towards Surface Water;
14. **"Ministry"** means the Ministry of the Environment, Conservation and Parks;
15. **"NMA"** means the Nutrient Management Act, 2002, S.O. 2002, c. 4, as amended;
16. **"OWRA"** means the *Ontario Water Resources Act*, R.S.O. 1990, c. O.40, as amended;
17. **"PA"** means the *Pesticides Act*, R.S.O. 1990, c. P11, as amended;
18. **"Provincial Officer"** means any person designated in writing by the Minister as a provincial officer pursuant to section 5 of the OWRA, section 5 of the Act, section 17 of Act, section 4 of the NMA, or section 8 of the SDWA;
19. **"Qualified Person"** means a person that holds a licence, limited licence or temporary licence under the *Professional Engineers Act*; or the person holds a certificate of registration under the *Professional Geoscientists Act*, 2000 and is a practising member, temporary member or limited member of the Association of Professional Geoscientists of Ontario.
20. **"Reg. 347"** means Regulation 347, R.R.O. 1990, General - Waste Management, as amended, made under the Act;
21. **"Residential Area"** means an area in which there are three or more lots of not more than one hectare,
 - i. that are adjacent to each other or not separated by anything other than a road allowance or right of way, and
 - ii. on each of which there is a residential building.
22. **"Sensitive use"** means Residential, Commercial, Community, or Institutional uses, and locations at which people regularly congregate;
23. **"Site"** means the location at 688 Bobcaygeon Road, Minden, Ontario, approved to receive Hauled Sewage under the Approval;
24. **"Snow-covered"**, when used in reference to soil, means that there is a layer of snow with an average minimum depth of five centimetres.
25. **"Spreading Area"** means the portion of the Site that meets all Conditions listed in Section 3.0 of the Approval; and
26. **"Surface Water"** means water found in lakes, ponds, rivers, streams, wetlands, swamps, artificial watercourses, intermittent watercourses and seasonally wet areas, including ditches and swales.

TERMS AND CONDITIONS

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

A. GENERAL

1. Compliance

1. The requirements of this Approval are severable. If any requirement of this Approval, or the application of any requirement of this Approval to any circumstance, is held invalid or unenforceable, the application of such requirement to other circumstances and the remainder of this Approval shall not be affected thereby.
2. The requirements specified in this Approval are the requirements under the Act. The issuance of this Approval in no way abrogates the Company's legal obligations to take all reasonable steps to avoid violating other applicable provisions of this legislation and other legislation and regulations.
3. The Company shall ensure compliance with all the conditions of this Approval and shall ensure that any person authorized to carry out work on or operate any aspect of the Site, is notified of this Approval and the conditions herein and shall take all reasonable measures to ensure any such person complies with the same.
4. Any person authorized to carry out work on or operate any aspect of the Site shall comply with the conditions of this Approval.

2. Other Legal Obligations

1. The issuance of, and compliance with the conditions of the Approval does not:
 - a. relieve any person of any obligation to comply with any provision of any applicable statute, regulation, by-law or other legal requirement; or
 - b. limit in any way the authority of the Ministry to require that certain actions be taken or to require the Company to furnish any further information related to compliance with the Approval.
 - c. Despite the Company or any other person fulfilling any obligations imposed by this Approval, the person remains responsible for any contravention of any other condition of this Approval or any applicable statute, regulation, or other legal requirement resulting from any act or omission that caused the adverse effect or impairment of water quality.

3. Operate, etc. in Accordance

1. Except as otherwise provided by this Approval, the Site shall be operated in accordance with the application for an environmental compliance approval dated July 2, 2024, and with the supporting documentation submitted to the Ministry as part of the application, all listed in Schedule 1.
2. The Company and all owners of the property comprising the Site and the Operator shall ensure the Site is operated in accordance with these conditions.
3. Where there is a conflict between a provision of any document referred to in Schedule 1, and the other conditions of this Approval, the other conditions of this Approval shall take precedence.
4. Where there is a conflict between the documents listed in Schedule 1, the document bearing the most recent date shall prevail.
5. The Company shall ensure that the Site is constructed and operated in accordance with these conditions.
6. The Company shall ensure that any communication/correspondence made in relation to the Site or to the Approval includes reference to the Approval number.

4. Change of Owner

1. The Company shall notify the Director and District Manager in writing of any of the following changes within thirty (30) days of the occurrence of any change in:
 - a. the Company;
 - b. the address or contact information of the new Company;
 - c. the owner of the property comprising the Site;
 - d. change of partners where the Company is or at any time becomes a partnership, and a copy of the most recent declaration filed under the *Business Names Act*, 1991 shall be included in the notification to the Director; and
 - e. any change of name of the corporation where the Company is or at any time becomes a corporation, and a copy of the most current "Initial Notice or Notice of Change" (Form 1 or 2 of Ontario Regulation 182, as amended from time to time), filed under the *Corporations Information Act* shall be included in the notification to the Director.
2. In the event of any change in ownership of the Site, the Company shall forthwith notify in writing the succeeding owner of the existence of the Approval, and provide the successor with an up-to-date copy of the Approval and a copy of such notice shall forthwith be forwarded to the Director and

District Manager.

5. Information

1. Any information requested by the Ministry, concerning the operation of the Site and its operation under this Approval, including but not limited to any records required to be kept by this Approval shall, upon request, be provided to the Ministry in a timely manner and in a format specified by the Ministry.
2. The receipt of any information by the Ministry or the failure of the Ministry to prosecute any person or to require any person to take any action, under this Approval or under any statute, regulation or other legal requirement, in relation to the information, shall not be construed as:
 - a. an approval, waiver, or justification by the Ministry of any act or omission of any person that contravenes any term or condition of this Approval or any statute, regulation or other legal requirement; or
 - b. acceptance by the Ministry of the information's completeness or accuracy.
3. The Company shall ensure that a copy of this Approval, in its entirety and the documentation listed in Schedule 1, are retained at the Company's office at all times.

B. SPILL PREVENTION AND COMPLAINT PROCEDURES

1. Prior to operating the Site, the Company shall develop written procedures covering the following:
 1. spill prevention procedures, including procedures to clean up spills when they occur;
 2. procedures for reporting to the Ministry, and municipal authorities as required;
 3. inspection programs for the Site;
 4. complaint procedures for receiving and responding to public complaints, including what steps the Company took to determine the cause of the complaint and what corrective measures were taken to alleviate the cause and prevent its recurrence;
 5. a list of the personnel responsible for the operation of the Site, along with the training these personnel have received; and,
 6. a list of equipment, material and personnel that will be available to deal with spills.
2. The Company shall ensure that all personnel involved in the operation of the Site are

aware of the requirements of the Approval and are trained in the procedures outlined in Condition B.1, above.

C. OPERATIONS

1. (i) The Company shall take steps to minimize and ameliorate any adverse effect on the natural environment or impairment of water quality resulting from the Site, including such accelerated or additional monitoring as may be necessary to determine the nature and extent of the effect or impairment.

(ii) Despite the Company or any other person fulfilling any obligations imposed by this Approval, the person remains responsible for any contravention of any other condition of this Approval or any applicable statute, regulation, or other legal requirement resulting from any act or omission that caused the adverse effect to the natural environment or impairment of water quality.
2. The Company shall operate and maintain the Site such that vermin, vectors, odour, dust, litter, noise or traffic do not result in an adverse effect.
3. Spills and upsets that cause an adverse effect, spills that are likely to enter or enter any waters, as defined in the OWRA, directly or through drainage structures, or spills of greater than 100 litres on land accessible by the public shall be immediately reported to the Ministry's Spills Action Centre at (416) 325-3000 or 1-800-268-6060 and the Company shall take appropriate remedial action to limit the impact. Information regarding all spills shall be recorded in the log book, referred to in Condition F.1 of this Approval.
4. The storage and/or land application of Hauled Sewage is subject to the setbacks defined in Schedule 2 of the Approval.
5. To avoid run-off from the Site,
 1. No Hauled Sewage shall be spread or disposed of at the Site when the ground is Frozen, ice-covered or Snow-covered;
 2. No Hauled Sewage shall be spread at the Site when there is ponded water on the intended spreading area at the Site;
 3. No Hauled Sewage shall be spread at the Site when conditions are such that Hauled Sewage, or water contaminated by Hauled Sewage, may runoff or discharge from the Site. Conditions which may lead to such runoff or discharge from the Site include precipitation events, snowmelt and flooded or saturated spreading areas.
 4. Incorporation of the Hauled Sewage shall be done so that the furrows are plowed into the soil adjacent to the Buffer Zone perpendicular to the slope to assist in promoting infiltration of Hauled Sewage to prevent runoff.

5. The Company shall construct and maintain a permanently vegetated berm in the following areas of the Site:
 - i. Within the 60 m wide vegetated Buffer Zone; and
 - ii. In the area between all surface water features and the fields to be used for the spreading of Hauled Sewage.
6. Spreading of Hauled Sewage is prohibited in areas at the Site with a Maximum Sustained Slope of greater than 9%.
7. Spreading of Hauled Sewage is prohibited in any areas at the Site where the activity is or would be a Significant Drinking Water Threat as defined under the CWA.
8. Prior to spreading of Hauled Sewage at the Site, the Operator shall ensure the useable spreading area is clearly flagged, digitally designated in GPS such that the designation is readily available upon the request of a Provincial Officer, or similarly marked so as to clearly identify setbacks from sensitive features and any areas where spreading is prohibited pursuant to Condition C of the Approval.
9. Hauled Sewage shall only be spread at the Site at the lower of fifteen (15) litres per square metre per seven (7) days or such other lower rate that ensures that ponding at, puddling on, or runoff from the Site does not occur.
10. No processed organic waste, grease trap waste or other waste, other than Hauled Sewage, shall be stored, spread or disposed of at the Site.
11. Prior to the use of the Site for the application of Hauled Sewage, the Company shall ensure all areas of the Buffer Zone between the area approved for the spreading of Hauled Sewage and all surface water features are vegetated, and ensure that the vegetation in these areas remains undisturbed by vehicular traffic.
12. Prior to the use of the Site for the application of Hauled Sewage waste, the Company shall ensure that all berms within the surface water Buffer Zone are seeded to prevent erosion.
13. Prior to the use of the Site for the application of Hauled Sewage, the Company shall hire a person experienced in the identification and delineation of the boundaries of surface water features to delineate the boundaries of all Buffer Zones. The Company shall ensure that the boundaries of all the Buffer Zones are clearly demarcated at the Site.
14. Hauled sewage shall only be spread at the site during the time periods indicated in the table below.

Table 1: Allowable Duration of Application of Hauled Sewage

Maximum Sustained Slope	Soil Permeability ¹	Allowable Duration of Application
		Southern Ontario
0 to 3%	Any soils where Percolation Time ² > 1 minute per cm	April 1 to November 30
3 to 6%	Rapid to moderately rapid	April 1 to November 30
3 to 6%	Moderate to slow	May 1 to November 30
6 to 9%	Rapid to moderately rapid	May 1 to November 30
6 to 9%	Moderate to slow	May 1 to November 30 (but only for application by injection or spreading and immediate incorporation)

Notes:

¹The Company (or qualified consultant) is responsible for ensuring that the soil permeability of the soils is properly classified in accordance with currently accepted engineering and hydrogeological practices and submitting documentation as to the classification.

²Percolation Time means the average time in minutes that is required for water to drop one (1) centimetre during a soil percolation test as determined by the test or other appropriate means.

D. STORAGE

1. No Hauled Sewage shall be stored pursuant to this Approval at the Site.

E. AGRICULTURAL USE OF SPREADING AREAS

1. It is the responsibility of the Company to ensure that the future intended uses of the Site are known and to make decisions for spreading based on this information. The use of the area used for the spreading of Hauled Sewage at the Site is limited as follows:
 1. harvest of crops for domestic consumption for this area shall not occur within twelve (12) months, and only after working the Hauled Sewage into the soil;
 2. grazing of livestock shall not occur at this area within six (6) months of Hauled Sewage application;
 3. feed crop harvests shall not occur at this area within three (3) weeks of Hauled Sewage application; and

4. commercial sod harvest shall not occur at this area within 12 months of Hauled Sewage application.

F. RECORD KEEPING

1. The Company shall maintain written records in a log book detailing the following:
 1. a complete and up-to-date record showing, where, when and how much Hauled Sewage was spread, stored or disposed of at the Site;
 2. the nature of any spill or upset occurring at the Site and the actions taken to clean-up the spill or upset and the steps taken to prevent a re-occurrence; and
 3. all complaints received related to the Site or its operations and any actions taken to address complaints.
2. All records and monitoring data required by the conditions of this Approval must be kept on the premises of the Company for a minimum period of five (5) years from the date of their creation.
3. It is a condition of this Approval under the Act that the Company must forthwith, upon the request of a Provincial Officer or other authorized ministry employee, permit Provincial Officers to carry out inspections authorized by section 156, 157 or 158 of the Act, section 15, 16 or 17 of the *Ontario Water Resources Act*, R.S.O. 1990 or section 19 or 20 of the PA of any place, other than any room actually used as a dwelling, to which this Approval relates.

G. SAMPLING AND MONITORING

1. The Company shall adhere to the requirements of the sampling plan provided on July 10, 2018 and accepted by the Ministry on July 23, 2018.
2. The Company shall ensure that sufficient samples are collected from each of the three (3) wells by a qualified person three (3) times per year between the following dates:
 - a. April 1st and April 30th of each calendar year
 - b. July 1st and July 30th of each calendar year
 - c. November 1st and November 30th of each calendar year
3. When the samples are obtained as required by Section G Condition 2, the Company shall ensure that the static water level in each of the wells is also measured and the temperature and pH is measured in each of the samples.
4. The Company shall ensure that the samples obtained as required by Section G Condition 2 are submitted to and analysed by an accredited laboratory for the following parameters:

- a. Nitrates and Nitrites
 - b. Chlorides
 - c. Total Phosphorous
 - d. Ammonia
 - e. Total Suspended Solids
 - f. Total Dissolved Solids
 - g. Alkalinity
 - h. Conductivity
 - i. Dissolved Reactive Phosphorus (DRP)
5. Dissolved Reactive Phosphorus (DRP) samples should be field filtered with a 0.45 micron filter for sake of comparison with total phosphorous samples which are adversely affected by sediment/turbidity.
 6. The Company shall submit a copy of the Certificates of Analysis and/or any laboratory results to the District Manager within 14 days of receiving results, should samples collected in accordance with Section G Conditions 2 to 5 indicate a concentration exceedance of the Ontario Drinking Water Quality Standards and/or Provincial Water Quality Objectives.
 7. The Company shall notify the District Manager immediately upon receiving the laboratory results of any results that indicate the concentrations of nitrate above 2.5 mg/l or nitrite above 1 mg/l in any groundwater sample collected and tested in accordance with Section G Conditions 2 to 5 and take such action as directed by the District Manager which may include a direction to immediately cease the application or disposal of Hauled Sewage at the Site.
 8. The Company shall submit to the attention of the District Manager an annual monitoring report, by no later than February 15th of the year following the year in which the data was collected, that includes but is not necessarily limited to the following:
 - a. A summary and interpretation of all the data collected in accordance with Section G Conditions 2 to 5;
 - b. A comparison and interpretation of all groundwater data to the Ontario Drinking Water Quality Standards and Provincial Water Quality Objectives;
 - c. An assessment of groundwater flow direction, hydraulic gradients, and groundwater velocity;

- d. The location of any known new wells within 500 m of the site;
 - e. Records of any well complaints received by the Company;
 - f. A summary of any spills that occurred and any action taken as a result;
 - g. A summary of any notifications provided to the District Manager as required by Section G Conditions 6 and 7;
 - h. A description of any site alterations that occurred that may impact ground water flow;
 - i. All laboratory reports;
 - j. A description of well purging and sampling protocols
 - k. An assessment of whether a minimum vertical distance of 1.5 m was maintained between infiltration surface and the groundwater table; and
 - l. Conclusions and recommendations regarding whether there have been any groundwater impacts and impacts to local wells.
9. The Company shall adhere to the sampling protocol provided to the Ministry on July 10, 2018 and accepted on July 23, 2018.

H. CESSATION DATE OF WASTE ACCEPTANCE

1. The Company shall not accept Hauled Sewage at the Site after the date listed as the cessation of waste acceptance date below.
2. By no later than six (6) months prior to the cessation of waste acceptance date, the Company shall notify the Director of whether it intends to cease operations at the Site or whether it intends to submit an application to the Ministry for an amendment to the Approval to extend the cessation of waste acceptance date.
3. The cessation of waste acceptance date for this Approval is December 1, 2029.

REASONS

The reasons for the imposition of these terms and conditions are as follows:

1. The reason for Section A (General) conditions is to clarify the legal rights and responsibilities of the Company.
2. The reason for Section B (Spill Prevention and Complaint Procedures) conditions is to ensure that the Company's and/or Operator staff can identify Site problems and deal promptly and effectively with any spills and upsets, and any public complaints that may occur.

3. The reasons for Section C (Operations) conditions are:
 1. to ensure that the Site is operated in a manner which does not result in an adverse effect to the health and safety of the environment or people.
 2. to ensure that only the area reviewed and recommended in the Site assessment, subject to the listed setbacks, is used for spreading.
 3. to ensure that land application restrictions are established based on the slope of land, type of soil and the period of use in any calendar year to promote the seepage of Hauled Sewage down into the underlying overburden.
 4. the prohibitions will prevent Hauled Sewage spreading when there is a risk of runoff.
 5. to ensure that the type and amount of Hauled Sewage accepted for spreading on agricultural lands, and the spreading activities, are in accordance with that approved under this Approval.
 6. to ensure that loading rates on the soil are strictly controlled under the sludge utilization program for Hauled Sewage. Fields used for this program cannot be used for processed organic waste spreading and vice versa.
4. The reason for Section D (Storage) condition is to ensure Hauled Sewage is stored in a manner that minimizes the likelihood of spills and that does not present a hazard to the health and safety of the environment or people.
5. The reason for Section E (Agricultural Use of Spreading Sites) conditions is to ensure that there is an adequate time lapse between the use of an area for disposal of Hauled Sewage and the use of the area for the specified land uses so that animals and harvest crops are not exposed to residual substances of concern associated with the Hauled Sewage disposal.
6. The reason for Section F (Record Keeping) conditions is to ensure that the Site is operated in accordance with the application and supporting information submitted by the Company, and not in a manner which the Director has not been asked to consider.
7. The reasons for Section G (Sampling and Monitoring) conditions are:
 - a. to monitor the groundwater to protect water resources and prevent off-Site impacts through the analysis of indicative parameters at a sampling frequency that is appropriate to the proposed activity.
 - b. to ensure the Director is aware of any impacts from the disposal of Hauled Sewage in the groundwater and can take actions to ensure potential off-Site impacts are appropriately managed.
 - c. to provide the Director with an annual monitoring report regarding groundwater conditions at the site for the previous year.
 - d. to ensure appropriate sampling protocols are followed.

8. The reason for Section H (Cessation Date of Waste Acceptance) conditions is to ensure a periodic review of the instrument occurs to ensure the Site operations and associated impacts have not resulted in adverse effects on the land as a consequence of continuous long-term use.

APPEAL PROVISIONS

In accordance with Section 139 of the *Environmental Protection Act*, you may by written notice served upon me and the Ontario Land Tribunal, within 15 days after the service of this notice, require a hearing by the Tribunal. You must also provide notice to, the Minister of the Environment, Conservation and Parks in accordance with Section 47 of the *Environmental Bill of Rights*, 1993 who will place notice of your appeal on the Environmental Registry. Section 142 of the *Environmental Protection Act* provides that the notice requiring the hearing ("the Notice") shall state:

1. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

Pursuant to subsection 139(3) of the *Environmental Protection Act*, a hearing may not be required with respect to any terms and conditions in this environmental compliance approval, if the terms and conditions are substantially the same as those contained in an approval that is amended or revoked by this environmental compliance approval.

The Notice should also include:

1. The name of the appellant;
2. The address of the appellant;
3. The environmental compliance approval number;
4. The date of the environmental compliance approval;
5. The name of the Director, and;
6. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

Registrar*
Ontario Land Tribunal
655 Bay Street, Suite 1500
Toronto, Ontario
M5G 1E5
OLT.Registrar@ontario.ca

and

The Minister of
the Environment,
Conservation and
Parks
777 Bay Street,
5th Floor

and

The Director appointed for
the purposes of Part II.1 of
the *Environmental Protection
Act*
Ministry of the Environment,
Conservation and Parks

Toronto, Ontario
M7A 2J3

135 St. Clair Avenue West, 1st
Floor
Toronto, Ontario
M4V 1P5

*** Further information on the Ontario Land Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349 or 1 (866) 448-2248, or [Ontario Land Tribunal's](#)**

This instrument is subject to Section 38 of the *Environmental Bill of Rights, 1993*, that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek leave to appeal within 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry at [Environmental Registry of Ontario](#), you can determine when the leave to appeal period ends.

The above noted activity is approved under s.20.3 of Part II.1 of the *Environmental Protection Act*.

Dated at Toronto this 26th day of October, 2024



Mohsen Keyvani

Director

appointed for the purposes of Part II.1 of the *Environmental Protection Act*

c: Keith Thomas, FRANCIS THOMAS CONTRACTING COMPANY LTD.

Thomas Grace, Grace & Associates Inc.

The following schedules are a part of this environmental compliance approval:

SCHEDULE 1

SCHEDULE"1"

This Schedule"1" forms part of the Approval:

1. Application for Approval of Hauled Sewage (septage), Sewage Biosolids and Other Wastes, dated February 15, 2022, and signed by Keith Thomas of the Company.
2. The supporting document entitled "Hauled Sewage Disposal Site Soil Assessment – Francis Thomas Contracting Company Ltd. – 688 Bobcaygeon Road, Lot 12, Concession A, Minden Hills Township, Minden, County of Haliburton, Ontario" prepared by Grace and Associates Inc., dated March 7, 2018, and included in the Environmental Compliance Approval (ECA) Application received on February 15, 2022.
3. The revised Figure No. 1 ("Site Plan") included in the Email titled"RE: 2453-CBPS3L - Francis Thomas Contracting ECA No. 20-PET-43579 Application Renewal" dated February 22, 2022, from Beatriz Vitorino of Grace & Associates Inc., on behalf of the Company.
4. Email titled" RE: 2453-CBPS3L - Francis Thomas Contracting ECA No. 20-PET-43579 Application Renewal" dated February 22, 2022 providing additional information, from Beatriz Vitorino of Grace & Associates Inc., on behalf of the Company.
5. Email titled"RE: Francis Thomas Contracting - Hauled Sewage Application - MECP Ref. No. 2453-CBPS3L" dated March 17, 2022, providing additional information, from Beatriz Vitorino of Grace & Associates Inc., on behalf of the Company.
6. Email titled"RE: Draft ECA - Francis Thomas Contracting Co. Ltd - Proposed Monitoring Program" dated July 23, 2018, providing the acceptance of the requirements of the Sampling Plan and Sampling Protocol.
7. Environmental Compliance Approval Application, dated July 2, 2024, and signed by Keith Thomas of the Company.
8. Response to the Information request letter dated July 10, 2024, from Thomas Grace, Grace & Associates Inc. including a copy of neighbour notification distribution list.
9. Email received on August 12 and 16 , 2024, from Beatriz Vitorino, Grace & Associates Inc.

SCHEDULE 2

SCHEDULE "2"

SITE SETBACK REQUIREMENTS

This Schedule "2" forms part of this Approval:

1. The portion of the Site approved for spreading or storage is subject to the following setbacks;
 - a. a minimum of 450 metres from sensitive uses, unless the Hauled Sewage is injected or incorporated into the soil within 24 hours of application, in which case the separation distance may be reduced to 100 metres;
 - b. a minimum of 450 metres from a residential area, unless the Hauled Sewage is injected or incorporated into the soil within 24 hours of application, in which case the separation distance may be reduced to 100 metres;
 - c. a minimum of 90 metres from a single residence, unless the Hauled Sewage is injected or incorporated into the soil within 24 hours of application, in which case the separation distance may be reduced to 50 metres;
 - d. a minimum of 30 metres from a public roadway unless the Hauled Sewage is injected or incorporated into the soil within 24 hours of application, in which case the separation distance may be reduced to 15 metres;
 - e. a minimum of 90 metres from private water wells;
 - f. a minimum of 100 metres from municipal drinking water wells; and
 - g. setbacks to surface waters as detailed in the Table 2 below.

Table 2: Setbacks from surface waters

Maximum Sustained Slope	Setbacks for sites with confirmed rapid to moderately rapid permeability¹ soils	Setbacks for Sites where soil permeability¹ has not been confirmed or is confirmed to be moderate or slow	Setbacks for sites where Hauled Sewage is immediately Incorporated or Injected into the soil
0 - 3%	60 metres	120 metres	60 metres
3 - 6%	120 metres	240 metres	120 metres
6 - 9%	180 metres	360 metres	180 metres

greater than 9%	No spreading and/or storage of Hauled Sewage permitted	No spreading and/or storage of Hauled Sewage permitted	No spreading, Injection, Incorporation and/or storage of Hauled Sewage permitted
-----------------	--	--	--

Notes:

¹The Company (or qualified consultant) is responsible for ensuring that the soil permeability of the soils is properly classified in accordance with currently accepted engineering and hydrogeological practices and submitting documentation as to the classification.