

Whitewater Raw Sewage Dumping

August 4, 2021

Dear Mr./Ms./Mrs.

Re Site Location: 18-OTT- 21408, 31 Watchorn Drive, Lot 7, Concession 4, Whitewater Township, Renfrew County,

We are a group of concerned citizens of Whitewater Region wishing to take issue with the above application submitted for renewal of Septic Tank dumping of raw sewage on the above dumping site within our community. We have requested documentation from your office so that we may view the required site records. It is our contention that 'full compliance' within the terms and conditions of ECA for the above mentioned license are not being fully met.

Under 'RECORD KEEPING' item 18, We understand that the service provider must maintain a log book documenting how much Hauled Sewage was spread on the Site. Auditing the billing records of the septic Tank Pumping business may be a more accurate way to determine quantities.

Under 'OPERATIONS' Item 14 states that Hauled Sewage shall only be spread at the Site at the lower of fifteen (15) litres per square metre per seven (7) days or such other lower rate which ensures that ponding at, puddling on or runoff from the Site does not occur. This section of the Environmental Compliance Approval application gives way to questionable compliance. As an Ontario Provincial MOE are you in the position to audit a Quebec business?

Under 'OPERATIONS' Item 10c it is stated that no Hauled Sewage shall be spread at the Site when conditions are such that Hauled Sewage, or water contaminated by Hauled Sewage, may runoff or discharge from the Site. The site where the sewage is dumped, is on a slope leading to Provincial Wet lands and waterways. Please review Exhibit A showing a County of Renfrew map of Wet lands and Waterways situated down hill from this Disposal Site.

Under 'OPERATIONS' Item 11 it is stated that spreading of Hauled Sewage is prohibited in areas at the Site with a maximum sustained slope of greater than 9%. We are not at liberty to walk and measure private property. It is our contention that the slope in questions is greater than 9%. The black line is sewage spread on the slope. For your reference please view Exhibit B.

Under 'OPERATIONS' Item 13 it is stated that prior to spreading of hauled sewage at the site, the operator shall ensure the useable spreading area is clearly flagged, digitally designated in GPS such that the designation is readily available upon the request of a Provincial Officer, or similarly marked so as to clearly identify setbacks from sensitive features and any areas where spreading is prohibited pursuant to Condition 12 of the Approval. There is no signage posted for Raw Sewage Dumping as stated in the Official Plan requirement.

Of further concern is that septic tank service provider(Quebec) draws raw sewage from septic systems in the Province of Quebec and dumps raw sewage at this Site. Does the Province of Ontario approve of raw sewage from other Provinces to be dumped in the Whitewater Region? Is the dumping of this raw sewage monitored to see quantities from Quebec vs. Ontario.

As a solution, we have asked that all Septic Tank Pumping Services take raw sewage to the Treatment Plant for Processing. A number of Service providers in our area are already following this procedure. We are asking that all Service providers do the same. Please note that those service providers that utilize the services of the Treatment plant charge less than the applicant. We have been advised by the Treatment Plant that they have adequate capacity to handle all the sewage from this area.

All dumping Sites (5 in total) are within approx. two square miles. Neighbours living within this designated area are concerned about the environmental impact of spreading large amounts of raw sewage in a concentrated area over many years and the possible contamination of their wells as well as environmental safety.

Further that due to the small geographical dumping area we are experiencing enhanced truck traffic re: hauling with four sites will impact children's safety and our real estate values.

We would urge MOE to respond to our concerns prior to any action being taken on approving this and other Site applications in our area.

Respectively

Concerned Whitewater Residents